

## RANK NUMBERS FOR BENT LADDERS

PETER RICHTER<sup>1</sup>, EMILY LEVEN<sup>2</sup>

ANH TRAN<sup>3</sup>, BRYAN EK<sup>4</sup>, JOBBY JACOB<sup>4</sup>

AND

DARREN A. NARAYAN<sup>4</sup>

<sup>1</sup>*Department of Mathematics, University of Rochester  
Rochester, NY 14642-0002, USA*

<sup>2</sup>*Department of Mathematics, University of California  
San Diego, La Jolla, California, 92093-0112, USA*

<sup>3</sup>*Department of Mathematics, Temple University  
Philadelphia PA 19122, USA*

<sup>4</sup>*School of Mathematical Sciences  
Rochester Institute of Technology  
Rochester, NY 14623, USA*

**e-mail:** prichter@u.rochester.edu  
esergel07@gmail.com  
anh.van.tran@temple.edu  
bte1759@rit.edu  
jxjsma@rit.edu  
dansma@rit.edu

### Abstract

A ranking on a graph is an assignment of positive integers to its vertices such that any path between two vertices with the same label contains a vertex with a larger label. The rank number of a graph is the fewest number of labels that can be used in a ranking. The rank number of a graph is known for many families, including the ladder graph  $P_2 \times P_n$ . We consider how "bending" a ladder affects the rank number. We prove that in certain cases the rank number does not change, and in others the rank number differs by only 1. We investigate the rank number of a ladder with an arbitrary number of bends.

**Keywords:** graph colorings, rankings of graphs, rank number, Cartesian product of graphs, ladder graph, bent ladder graph.

**2010 Mathematics Subject Classification:** 05C78, 05C15, 05C76.

## REFERENCES

- [1] H. Alpert, *Rank numbers of grid graphs*, Discrete Math. **310** (2010) 3324–3333.  
doi:10.1016/j.disc.2010.07.022
- [2] H.L. Bodlaender, J.S. Deogun, K. Jansen, T. Kloks, D. Kratsch, H. Müller and Zs. Tuza, *Rankings of graphs*, SIAM J. Discrete Math. **11** (1998) 168–181.  
doi:10.1137/S0895480195282550
- [3] E. Bruoth and M. Horňák, *Online-ranking numbers for cycles and paths*, Discuss. Math. Graph Theory **19** (1999) 175–197.  
doi:10.7151/dmgt.1094
- [4] C.-W. Chang, D. Kuo and H-C. Lin, *Ranking numbers of graphs*, Inform. Process. Lett. **110** (2010) 711–716.  
doi:10.1016/j.ipl.2010.05.025
- [5] D. Dereniowski, *Rank coloring of graphs*, in: Graph Colorings, M. Kubale (Ed.), Contemp. Math. AMS **352** (2004) 79–93.  
doi:10.1090/conm/352/06
- [6] J. Ghoshal, R. Laskar, and D. Pillone, *Minimal rankings*, Networks **28** (1996) 45–53.  
doi:10.1002/(SICI)1097-0037(199608)28:1<45::AID-NET6>3.0.CO;2-D
- [7] A.V. Iyer, H.D. Ratliff and G. Vijayan, *Optimal node ranking of trees*, Inform. Process. Lett. **28** (1988) 225–229.  
doi:10.1016/0020-0190(88)90194-9
- [8] R.E. Jamison, *Coloring parameters associated with the rankings of graphs*, Congr. Numer. **164** (2003) 111–127.
- [9] M. Katchalski, W. McCuaig and S. Seager, *Ordered colourings*, Discrete Math. **142** (1995) 141–154.  
doi:10.1016/0012-365X(93)E0216-Q
- [10] T. Kloks, H. Müller and C.K. Wong, *Vertex ranking of asteroidal triple-free graphs*, Inform. Process. Lett. **68** (1998) 201–206.  
doi:10.1016/S0020-0190(98)00162-8
- [11] C.E. Leiserson, *Area efficient graph layouts for VLSI*, Proc. 21st Ann. IEEE Symposium, FOCS (1980) 270–281.
- [12] S. Novotny, J. Ortiz, and D.A. Narayan, *Minimal k-rankings and the rank number of  $P_n^2$* , Inform. Process. Lett. **109** (2009) 193–198.  
doi:10.1016/j.ipl.2008.10.004
- [13] J. Ortiz, H. King, A. Zemke and D.A. Narayan, *Minimal k-rankings for prism graphs*, Involve **3** (2010) 183–190.  
doi:10.2140/involve.2010.3.183
- [14] A. Sen, H. Deng and S. Guha, *On a graph partition problem with application to VLSI Layout*, Inform. Process. Lett. **43** (1992) 87–94.  
doi:10.1016/0020-0190(92)90017-P

Received 11 August 2011

Revised 4 March 2013

Accepted 28 March 2013