

ON THE EXISTENCE OF (k,l) -KERNELS IN INFINITE DIGRAPHS: A SURVEY

H. GALEANA-SÁNCHEZ

AND

C. HERNÁNDEZ-CRUZ

Instituto de Matemáticas
Universidad Nacional Autónoma de México
Ciudad Universitaria, México, D.F., C.P. 04510, México

e-mail: hgaleana@matem.unam.mx
cesar@matem.unam.mx

Abstract

Let D be a digraph, $V(D)$ and $A(D)$ will denote the sets of vertices and arcs of D , respectively.

A (k,l) -kernel N of D is a k -independent (if $u, v \in N$, $u \neq v$, then $d(u, v), d(v, u) \geq k$) and l -absorbent (if $u \in V(D) - N$ then there exists $v \in N$ such that $d(u, v) \leq l$) set of vertices. A k -kernel is a $(k, k-1)$ -kernel.

This work is a survey of results proving sufficient conditions for the existence of (k,l) -kernels in infinite digraphs. Despite all the previous work in this direction was done for $(2,1)$ -kernels, we present many original results concerning (k,l) -kernels for distinct values of k and l .

The original results are sufficient conditions for the existence of (k,l) -kernels in diverse families of infinite digraphs. Among the families that we study are: transitive digraphs, quasi-transitive digraphs, right/left pretransitive digraphs, cyclically k -partite digraphs, κ -strong digraphs, k -transitive digraphs, k -quasi-transitive digraphs.

Keywords: kernel, k -kernel, (k,l) -kernel, infinite digraph.

2010 Mathematics Subject Classification: 05C20, 05C63.

REFERENCES

- [1] J. Bang-Jensen and G. Gutin, *Digraphs. Theory, Algorithms and Applications* (Springer-Verlag, Berlin Heidelberg New York, 2002).

- [2] J. Bang-Jensen and J. Huang, *Quasi-transitive digraphs*, J. Graph Theory **20** (1995) 141–161.
doi:10.1002/jgt.3190200205
- [3] C. Berge, *Graphs* (North-Holland, Amsterdam New York, 1985).
- [4] D. Bród, A. Włoch and I. Włoch, *On the existence of $(k, k - 1)$ -kernels in directed graphs*, J. Math. Appl. **28** (2006) 7–12.
- [5] M. Chudnovsky, N. Robertson, P. Seymour and R. Thomas, *The Strong Perfect Graph Theorem*, Ann. of Math. **164** (2006) 51–229.
doi:10.4007/annals.2006.164.51
- [6] V. Chvátal, On the computational complexity of finding a kernel, Report No. CRM-300, Centre de Recherches Mathématiques, Université de Montréal, 1973.
- [7] V. Chvátal and L. Lovász, *Every directed graph has a semi-kernel*, Lecture Notes in Math. **411** (1974) 175.
doi:10.1007/BFb0066192
- [8] R. Diestel, *Graph Theory* 3rd Edition (Springer-Verlag, Berlin Heidelberg New York, 2005).
- [9] P. Duchet, *Graphes noyau-parfaits*, Ann. Discrete Math. **9** (1980) 93–101.
doi:10.1016/S0167-5060(08)70041-4
- [10] P. Duchet and H. Meyniel, *Kernels in directed graphs: a poison game*, Discrete Math. **115** (1993) 273–276.
doi:10.1016/0012-365X(93)90496-G
- [11] P.L. Erdős and L. Soukup, *Quasi-kernels and quasi-sinks in infinite digraphs*, Discrete Math. **309** (2009) 3040–3048.
doi:10.1016/j.disc.2008.08.006
- [12] A.S. Fraenkel, *Combinatorial game theory foundations applied to digraph kernels*, Electron. J. Combin. **4** (1997) #R10.
- [13] H. Galeana-Sánchez and M. Guevara, *Some sufficient conditions for the existence of kernels in infinite digraphs*, Discrete Math. **309** (2009) 3680–3693.
doi:10.1016/j.disc.2008.01.025
- [14] H. Galeana-Sánchez and C. Hernández-Cruz, *Cyclically k -partite digraphs and k -kernels*, Discuss. Math. Graph Theory **31** (2011) 63–78.
doi:10.7151/dmgt.1530
- [15] H. Galeana-Sánchez and C. Hernández-Cruz, *k -kernels in generalizations of transitive digraphs*, Discuss. Math. Graph Theory **31** (2011) 293–312.
doi:10.7151/dmgt.1546
- [16] H. Galeana-Sánchez and C. Hernández-Cruz, *On the existence of (k, l) -kernels in digraphs with a given circumference*, AKCE Int. J. Graphs Combin. (2013), to appear.

- [17] H. Galeana-Sánchez and C. Hernández-Cruz, *k-kernels in k-transitive and k-quasi-transitive digraphs*, Discrete Math. **312** (2012) 2522–2530.
doi:10.1016/j.disc.2012.05.005
- [18] H. Galeana-Sánchez and C. Hernández-Cruz, *k-kernels in multipartite tournaments*, AKCE Int. J. Graphs Combin. **8** (2011) 181–198.
- [19] H. Galeana-Sánchez, C. Hernández-Cruz and M.A. Juárez-Camacho, *On the existence and number of (k+1)-kings in k-quasi-transitive digraphs*, Discrete Math. **313** (2013) 2582–2591.
doi:10.1016/j.disc.2013.08.007
- [20] H. Galeana-Sánchez and H.A. Rincón, *A sufficient condition for the existence of k-kernels in digraphs*, Discuss. Math. Graph Theory **18** (1998) 197–204.
doi:10.7151/dmgt.1075
- [21] A. Ghouila-Houri, *Caractérisation des graphes non orientés dont on peut orienter les arêtes de manière à obtenir le graphe d'une relation d'ordre*, Comptes Rendus de l'Académie des Sciences Paris **254** (1962) 1370–1371.
- [22] P. Hell and C. Hernández-Cruz, *On the complexity of the 3-kernel problem in some classes of digraphs*, Discuss. Math. Graph Theory **34** (2014) 167–201.
doi:10.7151/dmgt.1727
- [23] P. Hell and J. Nešetřil, Graphs and Homomorphisms (Oxford University Press, 2004).
doi:10.1093/acprof:oso/9780198528173.001.0001
- [24] M. Kucharska and M. Kwaśnik, *On (k, l)-kernels of special superdigraphs of P_m and C_m* , Discuss. Math. Graph Theory **21** (2001) 95–109.
doi:10.7151/dmgt.1135
- [25] M. Kwaśnik, On (k, l)-kernels on graphs and their products, Doctoral Dissertation, Technical University of Wrocław, Wrocław, 1980.
- [26] M. Kwaśnik, *The generalizaton of Richardson's theorem*, Discuss. Math. **4** (1981) 11–14.
- [27] M. Kwaśnik, A. Włoch and I. Włoch, *Some remarks about (k, l)-kernels in directed and undirected graphs*, Discuss. Math. **13** (1993) 29–37.
- [28] V. Neumann-Lara, *Seminúcleos de una digráfica*, Anales del Instituto de Matemáticas **II** (1971).
- [29] M. Richardson, *On weakly ordered systems*, Bull. Amer. Math. Soc. **52** (1946) 113–116.
doi:10.1090/S0002-9904-1946-08518-3
- [30] R. Rojas-Monroy and I. Villarreal-Valdés, *Kernels in infinite digraphs*, AKCE Int. J. Graphs Combin. **7** (2010) 103–111.
- [31] W. Szumny, A. Włoch and I. Włoch, *On (k, l)-kernels in D-join of digraphs*, Discuss. Math. Graph Theory **27** (2007) 457–470.
doi:10.7151/dmgt.1373

- [32] W. Szumny, A. Włoch and I. Włoch, *On the existence and on the number of (k, l) -kernels in the lexicographic product of graphs*, Discrete Math. **308** (2008) 4616–4624.
doi:10.1016/j.disc.2007.08.078
- [33] J. von Neumann, O. Morgenstern, Theory of Games and Economic Behavior (Princeton University Press, Princeton, 1953).

Received 8 December 2010

Revised 16 May 2013

Accepted 16 May 2013