

5-STARS OF LOW WEIGHT IN NORMAL PLANE MAPS WITH MINIMUM DEGREE 5

OLEG V. BORODIN¹

*Institute of Mathematics Siberian Branch
Russian Academy of Sciences
and*

*Novosibirsk State University
Novosibirsk, 630090, Russia*

e-mail: brdnoleg@math.nsc.ru

ANNA O. IVANOVA²

*Institute of Mathematics of Ammosov
North-Eastern Federal University
Yakutsk, 677891, Russia*

e-mail: shmgananna@mail.ru

AND

TOMMY R. JENSEN³

*Kyungpook National University
Republic of Korea*

e-mail: tjensen@knu.ac.kr

Abstract

It is known that there are normal plane maps M_5 with minimum degree 5 such that the minimum degree-sum $w(S_5)$ of 5-stars at 5-vertices is arbitrarily large. In 1940, Lebesgue showed that if an M_5 has no 4-stars of cyclic type $(5, 6, 6, 5)$ centered at 5-vertices, then $w(S_5) \leq 68$. We improve this bound of 68 to 55 and give a construction of a $(5, 6, 6, 5)$ -free M_5 with $w(S_5) = 48$.

Keywords: graph, plane map, vertex degree, weight, light subgraph.

2010 Mathematics Subject Classification: 05C10.

¹This work was supported by grant 12-01-00631 of the Russian Foundation for Basic Research.

²The author was supported by grants 12-01-00448 and 12-01-98510 of the Russian Foundation for Basic Research.

³This research was supported by the Kyungpook National University Research Fund, 2009.

REFERENCES

- [1] J. Balogh, M. Kochol, A. Pluhár and X. Yu, *Covering planar graphs with forests*, J. Combin. Theory (B) **94** (2005) 147–158.
doi:10.1016/j.jctb.2004.12.002
- [2] O.V. Borodin, *Solution of Kotzig's and Grünbaum's problems on the separability of a cycle in a planar graph*, Mat. Zametki **46(5)** (1989) 9–12 (in Russian).
- [3] O.V. Borodin and D.R. Woodall, *Short cycles of low weight in normal plane maps with minimum degree 5*, Discuss. Math. Graph Theory **18** (1998) 159–164.
doi:10.7151/dmgt.1071
- [4] O.V. Borodin, H.J. Broersma, A.N. Glebov and J. Van den Heuvel, *The structure of plane triangulations in terms of clusters and stars*, Diskretn. Anal. Issled. Oper. Ser. 1 **8(2)** (2001) 15–39 (in Russian).
- [5] O.V. Borodin, H.J. Broersma, A.N. Glebov and J. Van den Heuvel, *Minimal degrees and chromatic numbers of squares of planar graphs*, Diskretn. Anal. Issled. Oper. Ser. 1 **8(4)** (2001) 9–33 (in Russian).
- [6] O.V. Borodin and A.O. Ivanova, *Describing $(d - 2)$ -stars at d -vertices, $d \leq 5$, in normal plane maps*, Discrete Math. **313** (2013) 1700–1709.
doi:10.1016/j.disc.2013.04.026
- [7] O.V. Borodin and A.O. Ivanova, *Describing 4-stars at 5-vertices in normal plane maps with minimum degree 5*, Discrete Math. **313** (2013) 1710–1714.
doi:10.1016/j.disc.2013.04.025
- [8] P. Franklin, *The four colour problem*, Amer. J. Math. **44** (1922) 225–236.
doi:10.2307/2370527
- [9] J. Harant and S. Jendrol', *On the existence of specific stars in planar graphs*, Graphs Combin. **23** (2007) 529–543.
doi:10.1007/s00373-007-0747-7
- [10] J. Van den Heuvel and S. McGuinness, *Coloring the square of a planar graph*, J. Graph Theory **42** (2003) 110–124.
doi:10.1002/jgt.10077
- [11] S. Jendrol' and T. Madaras, *On light subgraphs in plane graphs of minimal degree five*, Discuss. Math. Graph Theory **16** (1996) 207–217.
doi:10.7151/dmgt.1035
- [12] S. Jendrol' and T. Madaras, *Note on an existence of small degree vertices with at most one big degree neighbour in planar graphs*, Tatra Mt. Math. Publ. **30** (2005) 149–153.
- [13] A. Kotzig, *From the theory of eulerian polyhedra*, Mat. Čas. **13** (1963) 20–34 (in Russian).
- [14] H. Lebesgue, *Quelques conséquences simples de la formule d'Euler*, J. Math. Pures Appl. **19** (1940) 27–43.

- [15] P. Wernicke, *Über den kartographischen Vierfarbensatz*, Math. Ann. **58** (1904) 413–426.
doi:10.1007/BF01444968

Received 21 January 2013

Revised 10 June 2013

Accepted 10 June 2013