Discussiones Mathematicae Graph Theory 35 (2015) 493–515 doi:10.7151/dmgt.1815

Full PDF DMGT Page

DECOMPOSABILITY OF ABSTRACT AND PATH-INDUCED CONVEXITIES IN HYPERGRAPHS

FRANCESCO MARIO MALVESTUTO

AND

MARINA MOSCARINI

Department of Informatics Sapienza University of Rome Via Salaria 113, 00198 Roma, Italy

e-mail: malvestuto@di.uniroma1.it moscarini@di.uniroma1.it

Abstract

An abstract convexity space on a connected hypergraph H with vertex set V(H) is a family C of subsets of V(H) (to be called the *convex sets* of H) such that: (i) C contains the empty set and V(H), (ii) C is closed under intersection, and (iii) every set in C is connected in H. A convex set X of H is a minimal vertex convex separator of H if there exist two vertices of Hthat are separated by X and are not separated by any convex set that is a proper subset of X. A nonempty subset X of V(H) is a *cluster* of H if in H every two vertices in X are not separated by any convex set. The *cluster* hypergraph of H is the hypergraph with vertex set V(H) whose edges are the maximal clusters of H. A convexity space on H is called *decomposable* if it satisfies the following three properties:

- (C1) the cluster hypergraph of H is acyclic,
- (C2) every edge of the cluster hypergraph of H is convex,
- (C3) for every nonempty proper subset X of V(H), a vertex v does not belong to the convex hull of X if and only if v is separated from X in H by a convex cluster.

It is known that the *monophonic convexity* (i.e., the convexity induced by the set of chordless paths) on a connected hypergraph is decomposable.

In this paper we first provide two characterizations of decomposable convexities and then, after introducing the notion of a *hereditary path family* in a connected hypergraph H, we show that the convexity space on H induced

by any hereditary path family containing all chordless paths (such as the families of simple paths and of all paths) is decomposable.

Keywords: convex hull, hypergraph convexity, path-induced convexity, convex geometry.

2010 Mathematics Subject Classification: Primary: 05C65, 52A01; Secondary: 52B55.

References

- C. Beeri, R. Fagin, D. Maier and M. Yannakakis, On the desirability of acyclic database schemes, J. ACM 30 (1983) 479–513. doi:10.1145/2402.322389
- M. Changat and J. Mathew, On triangle path convexity in graphs, Discrete Math. 206 (1999) 91–95. doi:10.1016/S0012-365X(98)00394-X
- M. Changat, H.M. Mulder and G. Sierksma, Convexities related to path properties on graphs, Discrete Math. 290 (2005) 117–131. doi:10.1016/j.disc.2003.07.014
- [4] R. Diestel, Graph Decompositions: A Study in Infinity Graph Theory (Clarendon Press, Oxford, 1990).
- [5] P. Duchet, Convexity in combinatorial structures, in: Proceedings of the 14th Winter School on Abstract Analysis, Frolik, Souček and Fabián (Eds), (Circolo Matematico di Palermo, Palermo 1987), Serie II 14 261–293
- [6] P. Duchet, Convex sets in graphs II: minimal path convexity, J. Combin. Theory Ser. B 44 (1988) 307–316. doi:10.1016/0095-8956(88)90039-1
- P. Duchet, Discrete convexity: retractions, morphisms and the partition problem, in: Proceedings of the Conference on Graph Connections, Balakrishnan, Mulder and Vijayakumar (Ed(s)), (Allied Publishers, New Delhi, 1999) 10–18.
- [8] M. Farber and R.E. Jamison, Convexity in graphs and hypergraphs, SIAM J. Algebraic Discrete Methods 7 (1986) 433–444. doi:10.1137/0607049
- H.-G. Leimer, Optimal decomposition by clique separators, Discrete Math. 113 (1993) 99–123. doi:10.1016/0012-365X(93)90510-Z
- F.M. Malvestuto, Canonical and monophonic convexities in hypergraphs, Discrete Math. 309 (2009) 4287–4298. doi:10.1016/j.disc.2009.01.003
- F.M. Malvestuto, Decomposable convexities in graphs and hypergraphs, ISRN Combinatorics 2013 Article ID 453808. doi:10.1155/2013/453808

- [12] F.M. Malvestuto, M. Mezzini and M. Moscarini, Equivalence between hypergraph convexities ISRN Discrete Mathematics 2011 Article ID 806193. doi:10.5402/2011/806193
- [13] R.E. Tarjan, Decomposition by clique separators, Discrete Math. 55 (1985) 221–232. doi:10.1016/0012-365X(85)90051-2
- [14] M. Van de Vel, Theory of Convex Structures (North-Holland Publishing Co., Amsterdam, 1993).
- [15] S. Whitesides, An Algorithm for finding clique cut-sets, Inform. Process. Lett. 12 (1981) 31–32.
 doi:10.1016/0020-0190(81)90072-7

Received 20 January 2014 Revised 7 October 2014 Accepted 23 October 2014