

M₂-EDGE COLORINGS OF CACTI AND GRAPH JOINS

JÚLIUS CZAP AND PETER ŠUGEREK

Department of Applied Mathematics and Business Informatics
Faculty of Economics, Technical University of Košice
Némcovej 32, 040 01 Košice, Slovakia

e-mail: julius.czap@tuke.sk
peter.sugerek@tuke.sk

AND

JAROSLAV IVANČO¹

Institute of Mathematics, P. J. Šafárik University
Jesenná 5, 040 01 Košice, Slovakia

e-mail: jaroslav.ivanco@upjs.sk

Abstract

An edge coloring φ of a graph G is called an M_2 -edge coloring if $|\varphi(v)| \leq 2$ for every vertex v of G , where $\varphi(v)$ is the set of colors of edges incident with v . Let $\mathcal{K}_2(G)$ denote the maximum number of colors used in an M_2 -edge coloring of G . In this paper we determine $\mathcal{K}_2(G)$ for trees, cacti, complete multipartite graphs and graph joins.

Keywords: cactus, edge coloring, graph join.

2010 Mathematics Subject Classification: 05C15.

REFERENCES

- [1] K. Budařová and J. Czap, *M₂-edge coloring and maximum matching of graphs*, *Int. J. Pure Appl. Math.* **88** (2013) 161–167.
doi:10.12732/ijpam.v88i2.1
- [2] H. Choi and S.L. Hakimi, *Scheduling file transfers for trees and odd cycles*, *SIAM J. Comput.* **16** (1987) 162–168.
doi:10.1137/0216013

¹ Supported in part by the Slovak VEGA Grant 1/0652/12.

- [3] E.G. Coffman Jr., M.R. Garey, D.S. Johnson and A.S. LaPaugh, *Scheduling file transfers*, SIAM J. Comput. **14** (1985) 744–780.
doi:10.1137/0214054
- [4] J. Czap, *M_i -edge colorings of graphs*, Appl. Math. Sciences **5** (2011) 2437–2442.
doi:10.12988/ams
- [5] J. Czap, *A note on M_2 -edge colorings of graphs*, Opuscula Math. **35** (2015) 287–291.
doi:10.7494/OpMath.2015.35.3.287
- [6] M. Gionfriddo, L. Milazzo and V. Voloshin, *On the upper chromatic index of a multigraph*, Comput. Sci. J. Moldova **10** (2002) 81–91.
- [7] S.L. Hakimi and O. Kariv, *A generalization of edge-coloring in graphs*, J. Graph Theory **10** (1986) 139–154.
doi:10.1002/jgt.3190100202
- [8] H. Krawczyk and M. Kubale, *An approximation algorithm for diagnostic test scheduling in multicomputer systems*, IEEE Trans. Comput. **C-34** (1985) 869–872.
doi:10.1109/TC.1985.1676647
- [9] S.I. Nakano, T. Nishizeki and N. Saito, *On the f -coloring of multigraphs*, IEEE Trans. Circuits Syst. **35** (1988) 345–353.
doi:10.1109/31.1747
- [10] D. Sitton, *Maximum matching in complete multipartite graphs*, Furman Univ. Electronic J. Undergraduate Math. **2** (1996) 6–16.
- [11] R. Soták, Personal communication.
- [12] X. Zhang and G. Liu, *f -colorings of some graphs of f -class 1*, Acta Math. Sin. (Engl. Ser.) **24** (2008) 743–748.
doi:10.1007/s10114-007-6194-9
- [13] X. Zhang and G. Liu, *Some sufficient conditions for a graph to be of C_f 1*, Appl. Math. Lett. **19** (2006) 38–44.
doi:10.1016/j.aml.2005.03.006
- [14] X. Zhang and G. Liu, *Some graphs of class 1 for f -colorings*, Appl. Math. Lett. **21** (2008) 23–29.
doi:10.1016/j.aml.2007.02.009

Received 12 December 2014

Revised 13 April 2015

Accepted 13 April 2015