

HOW LONG CAN ONE BLUFF IN THE DOMINATION GAME?

BOŠTJAN BREŠAR

Faculty of Natural Sciences and Mathematics, University of Maribor, Slovenia
Institute of Mathematics, Physics and Mechanics, Ljubljana, Slovenia

e-mail: bostjan.bresar@um.si

PAUL DORBEC

Univ. Bordeaux, LaBRI, UMR 5800, F-33400 Talence, France
CNRS, LaBRI, UMR 5800, F-33400 Talence, France
e-mail: paul.dorbec@u-bordeaux.fr

SANDI KLAVŽAR

Faculty of Mathematics and Physics, University of Ljubljana, Slovenia
Faculty of Natural Sciences and Mathematics, University of Maribor, Slovenia
Institute of Mathematics, Physics and Mechanics, Ljubljana, Slovenia
e-mail: sandi.klavzar@fmf.uni-lj.si

AND

GAŠPER KOŠMRLJ

Institute of Mathematics, Physics and Mechanics, Ljubljana, Slovenia
e-mail: gasper.kosmrlj@student.fmf.uni-lj.si

Abstract

The domination game is played on an arbitrary graph G by two players, Dominator and Staller. The game is called Game 1 when Dominator starts it, and Game 2 otherwise. In this paper bluff graphs are introduced as the graphs in which every vertex is an optimal start vertex in Game 1 as well as in Game 2. It is proved that every MINUS graph (a graph in which Game 2 finishes faster than Game 1) is a bluff graph. A non-trivial infinite family of MINUS (and hence bluff) graphs is established. MINUS graphs with game domination number equal to 3 are characterized. Double bluff graphs are also introduced and it is proved that Kneser graphs $K(n, 2)$, $n \geq 6$, are double

bluff. The domination game is also studied on generalized Petersen graphs and on Hamming graphs. Several generalized Petersen graphs that are bluff graphs but not vertex-transitive are found. It is proved that Hamming graphs are not double bluff.

Keywords: domination game, game domination number, bluff graphs, minus graphs, generalized Petersen graphs, Kneser graphs, Cartesian product of graphs, Hamming graphs.

2010 Mathematics Subject Classification: 05C57, 91A43, 05C69.

REFERENCES

- [1] B. Brešar, P. Dorbec, S. Klavžar and G. Košmrlj, *Domination game: Effect of edge-and vertex-removal*, Discrete Math. **330** (2014) 1–10.
doi:10.1016/j.disc.2014.04.015
- [2] B. Brešar, T. Gologranc, M. Milanič, D.F. Rall and R. Rizzi, *Dominating sequences in graphs*, Discrete Math. **336** (2014) 22–36.
doi:10.1016/j.disc.2014.07.016
- [3] B. Brešar, S. Klavžar, G. Košmrlj and D.F. Rall, *Domination game: extremal families of graphs for the 3/5-conjecture*, Discrete Appl. Math. **161** (2013) 1308–1316.
doi:10.1016/j.dam.2013.01.025
- [4] B. Brešar, S. Klavžar, G. Košmrlj and D.F. Rall, *Guarded subgraphs and the domination game*, Discrete Math. Theor. Comput. Sci. **17** (2015) 161–168.
- [5] B. Brešar, S. Klavžar and D.F. Rall, *Domination game and an imagination strategy*, SIAM J. Discrete Math. **24** (2010) 979–991.
doi:10.1137/100786800
- [6] Cs. Bujtás, *Domination game on trees without leaves at distance four*, in: A. Frank, A. Recski and G. Wiener (Eds.), Proceedings of the 8th Japanese-Hungarian Symposium on Discrete Mathematics and Its Applications (Veszprém, Hungary, 2013), 73–78.
- [7] Cs. Bujtás, *Domination game on forests*, Discrete Math. **338** (2015) 2220–2228.
doi:10.1016/j.disc.2015.05.022
- [8] Cs. Bujtás, *On the game domination number of graphs with given minimum degree*, Electron. J. Combin. **22** (2015) #P3.29.
- [9] Cs. Bujtás and S. Klavžar, *Improved upper bounds on the domination number of graphs with minimum degree at least five*, Graphs Combin. **32** (2016) 511–519.
doi:10.1007/s00373-015-1585-7
- [10] Cs. Bujtás, S. Klavžar and G. Košmrlj, *Domination game critical graphs*, Discuss. Math. Graph Theory **35** (2015) 781–796.
doi:10.7151/dmgt.1839

- [11] Cs. Bujtás and Z. Tuza, *The disjoint domination game*, Discrete Math. **339** (2016) 1985–1992.
doi:10.1016/j.disc.2015.04.028
- [12] P. Dorbec, G. Košmrlj and G. Renault, *The domination game played on unions of graphs*, Discrete Math. **338** (2015) 71–79.
doi:10.1016/j.disc.2014.08.024
- [13] R. Frucht, J.E. Graver and M.E. Watkins, *The groups of the generalized Petersen graphs*, Proc. Cambridge Philos. Soc. **70** (1971) 211–218.
doi:10.1017/S0305004100049811
- [14] I. Gorodezky, Dominating Sets in Kneser Graphs (Master Thesis, University of Waterloo, 2007).
- [15] M.A. Henning and W.B. Kinnersley, *Domination game: A proof of the 3/5-conjecture for graphs with minimum degree at least two*, SIAM J. Discrete Math. **30** (2016) 20–35.
doi:10.1137/140976935
- [16] M.A. Henning, S. Klavžar and D.F. Rall, *Total version of the domination game*, Graphs Combin. **31** (2015) 1453–1462.
doi:10.1007/s00373-014-1470-9
- [17] M.A. Henning, S. Klavžar and D.F. Rall, *The $\frac{4}{5}$ upper bound on the game total domination number*, Combinatorica, to appear.
doi:10.1007/s00493-015-3316-3
- [18] S.R. Jayaram, *Minimal dominating sets of cardinality two in a graph*, Indian J. Pure Appl. Math. **28** (1997) 43–46.
- [19] W.B. Kinnersley, D.B. West and R. Zamani, *Game domination for grid-like graphs*, unpublished manuscript (2012).
- [20] W.B. Kinnersley, D.B. West and R. Zamani, *Extremal problems for game domination number*, SIAM J. Discrete Math. **27** (2013) 2090–2107.
doi:10.1137/120884742
- [21] G. Košmrlj, *Realizations of the game domination number*, J. Comb. Optim. **28** (2014) 447–461.
doi:10.1007/s10878-012-9572-x
- [22] M.J. Nadjafi-Arani, M. Siggers and H. Soltani, *Characterisation of forests with trivial game domination numbers*, J. Comb. Optim. **32** (2016) 800–811.
doi:10.1007/s10878-015-9903-9
- [23] S. Schmidt, *The 3/5-conjecture for weakly $S(K_{1,3})$ -free forests*, arXiv:1507.02875v1 [math.CO] (2015).

Received 19 October 2015

Accepted 7 January 2016