

HEAVY SUBGRAPHS, STABILITY AND HAMILTONICITY

BINLONG LI^{a,c} AND BO NING^{1b}

^a*Department of Applied Mathematics
Northwestern Polytechnical University
Xi'an, Shaanxi 710072, P.R. China*

^b*Center for Applied Mathematics
Tianjin University
Tianjin 300072, P.R. China*

^c*European Centre of Excellence NTIS
306 14 Pilsen, Czech Republic*

e-mail: bo.ning@tju.edu.cn

Abstract

Let G be a graph. Adopting the terminology of Broersma *et al.* and Čada, respectively, we say that G is 2-heavy if every induced claw ($K_{1,3}$) of G contains two end-vertices each one has degree at least $|V(G)|/2$; and G is o-heavy if every induced claw of G contains two end-vertices with degree sum at least $|V(G)|$ in G . In this paper, we introduce a new concept, and say that G is S -c-heavy if for a given graph S and every induced subgraph G' of G isomorphic to S and every maximal clique C of G' , every non-trivial component of $G' - C$ contains a vertex of degree at least $|V(G)|/2$ in G . Our original motivation is a theorem of Hu from 1999 that can be stated, in terms of this concept, as every 2-connected 2-heavy and N -c-heavy graph is hamiltonian, where N is the graph obtained from a triangle by adding three disjoint pendant edges. In this paper, we will characterize all connected graphs S such that every 2-connected o-heavy and S -c-heavy graph is hamiltonian. Our work results in a different proof of a stronger version of Hu's theorem. Furthermore, our main result improves or extends several previous results.

Keywords: heavy subgraphs, hamiltonian graphs, closure theory.

2010 Mathematics Subject Classification: 05C38, 05C45.

REFERENCES

¹Corresponding author (Bo Ning).

- [1] P. Bedrossian, Forbidden Subgraph and Minimum Degree Conditions for Hamiltonicity (Ph.D. Thesis, Memphis State University, 1991).
- [2] P. Bedrossian, G. Chen and R.H. Schelp, *A generalization of Fan's condition for Hamiltonicity, pancyclicity, and Hamiltonian connectedness*, Discrete Math. **115** (1993) 39–50.
doi:10.1016/0012-365X(93)90476-A
- [3] L.W. Beineke, *Characterizations of derived graphs*, J. Combin. Theory Ser. B **9** (1970) 129–135.
doi:10.1016/S0021-9800(70)80019-9
- [4] J.A. Bondy and U.S.R. Murty, Graph Theory (GTM 244, Springer, 2008).
- [5] H.J. Broersma, Z. Ryjáček and I. Schiermeyer, *Dirac's minimum degree condition restricted to claws*, Discrete Math. **167/168** (1997) 155–166.
doi:10.1016/S0012-365X(96)00224-5
- [6] H.J. Broersma and H.J. Veldman, *Restrictions on induced subgraphs ensuring hamiltonicity or pancyclicity of $K_{1,3}$ -free graphs*, in: Contemporary Methods in Graph Theory (BI Wissenschaftsverlag, Mannheim 1990) 181–194.
- [7] J. Brousek, *Minimal 2-connected non-Hamiltonian claw-free graphs*, Discrete Math. **191** (1998) 57–64.
doi:10.1016/S0012-365X(98)00093-4
- [8] J. Brousek, Z. Ryjáček and O. Favaron, *Forbidden subgraphs, hamiltonicity and closure in claw-free graphs*, Discrete Math. **196** (1999) 29–50.
doi:10.1016/S0012-365X(98)00334-3
- [9] G. Chen, B. Wei and X. Zhang, *Degree-light-free graphs and hamiltonian cycles*, Graphs Combin. **17** (2001) 409–434.
doi:10.1007/s003730170018
- [10] R. Čada, *Degree conditions on induced claws*, Discrete Math. **308** (2008) 5622–5631.
doi:10.1016/j.disc.2007.10.026
- [11] G.A. Dirac, *Some theorems on abstract graphs*, Proc. London. Math. Soc. **2** (1952) 69–81.
doi:10.1112/plms/s3-2.1.69
- [12] D. Duffus, M. Jacobson and R.J. Gould, *Forbidden subgraphs and the Hamiltonian theme*, in: The Theory and Applications of Graphs (Wiley, New York, 1981) 297–316.
- [13] G. Fan, *New sufficient conditions for cycles in graphs*, J. Combin. Theory Ser. B **37** (1984) 221–227.
doi:10.1016/0095-8956(84)90054-6
- [14] R.J. Faudree and R.J. Gould, *Characterizing forbidden pairs for hamiltonian properties*, Discrete Math. **173** (1997) 45–60.
doi:10.1016/S0012-365X(96)00147-1

- [15] R.J. Faudree, R.J. Gould, Z. Ryjáček and I. Schiermeyer, *Forbidden subgraphs and pancyclicity*, Congr. Numer. **109** (1995) 13–32.
- [16] R.J. Gould and M.S. Jacobson, *Forbidden subgraphs and hamiltonian properties of graphs*, Discrete Math. **42** (1982) 189–196.
doi:10.1016/0012-365X(82)90216-3
- [17] Z. Hu, *A generalization of Fan’s condition and forbidden subgraph conditions for hamiltonicity*, Discrete Math. **196** (1999) 167–175.
doi:10.1016/S0012-365X(98)00200-3
- [18] B. Li, Z. Ryjáček, Y. Wang and S. Zhang, *Pairs of heavy subgraphs for Hamiltonicity of 2-connected graphs*, SIAM J. Discrete Math. **26** (2012) 1088–1103.
doi:10.1137/11084786X
- [19] G. Li, B. Wei and T. Gao, *A structural method for Hamiltonian graphs*, Australas. J. Combin. **11** (1995) 257–262.
- [20] B. Ning and S. Zhang, *Ore- and Fan-type heavy subgraphs for hamiltonicity of 2-connected graphs*, Discrete Math. **313** (2013) 1715–1725.
doi:10.1016/j.disc.2013.04.023
- [21] B. Ning, S. Zhang and B. Li, *Solution to a problem on hamiltonicity of graphs under Ore- and Fan-type heavy subgraph conditions*, Graphs Combin. **32** (2016) 1125–1135.
doi:10.1007/s00373-015-1619-1
- [22] O. Ore, *Note on Hamilton circuit*, Amer. Math. Monthly **67** (1960) 55.
- [23] Z. Ryjáček, *On a closure concept in claw-free graphs*, J. Combin. Theory Ser. B **70** (1997) 217–224.
doi:10.1006/jctb.1996.1732

Received 22 June 2015
Revised 5 February 2016
Accepted 11 June 2016