

EQUITABLE COLORINGS OF CORONA MULTIPRODUCTS OF GRAPHS

HANNA FURMAŃCZYK¹

Institute of Informatics, University of Gdańsk
Wita Stwosza 57, 80-952 Gdańsk, Poland

e-mail: hanna@inf.ug.edu.pl

MAREK KUBALE¹

Department of Algorithms and System Modelling
Gdańsk University of Technology
Narutowicza 11/12, 80-233 Gdańsk, Poland

e-mail: kubale@eti.pg.gda.pl

AND

VAHAN V. MKRTCHYAN

Department of Informatics and Applied Mathematics
Yerevan State University, Armenia

e-mail: vahanmkrtyan2002@ipia.sci.am

Abstract

A graph is equitably k -colorable if its vertices can be partitioned into k independent sets in such a way that the numbers of vertices in any two sets differ by at most one. The smallest k for which such a coloring exists is known as the equitable chromatic number of G and denoted by $\chi_=(G)$. It is known that the problem of computation of $\chi_=(G)$ is NP-hard in general and remains so for corona graphs. In this paper we consider the same model of coloring in the case of corona multiproducts of graphs. In particular, we obtain some results regarding the equitable chromatic number for the l -corona product $G \circ^l H$, where G is an equitably 3- or 4-colorable graph and H is an r -partite graph, a cycle or a complete graph. Our proofs are mostly constructive in that they lead to polynomial algorithms for equitable coloring of such graph products provided that there is given an equitable coloring of G . Moreover, we confirm the Equitable Coloring Conjecture for

¹Research has been partially supported by Narodowe Centrum Nauki under contract DEC-2011/02/A/ST6/00201

corona products of such graphs. This paper extends the results from [H. Furmańczyk, K. Kaliraj, M. Kubale and V.J. Vivin, *Equitable coloring of corona products of graphs*, Adv. Appl. Discrete Math. **11** (2013) 103–120].

Keywords: corona graph, equitable chromatic number, equitable coloring conjecture, equitable graph coloring, multiproduct of graphs, NP-completeness, polynomial algorithm.

2010 Mathematics Subject Classification: 05C15, 05C76.

REFERENCES

- [1] H.L. Bodleander and F.V. Fomin, *Equitable colorings of bounded treewidth graphs*, Theoret. Comput. Sci. **349** (2005) 22–30.
doi:10.1016/j.tcs.2005.09.027
- [2] B.L. Chen, M.T. Ko and K.W. Lih, *Equitable and m -bounded coloring of split graphs*, in: Combinatorics and Computer Science, Lecture Notes in Comput. Sci. **1120** (1996) 1–5.
doi:10.1007/3-540-61576-8_67
- [3] B.L. Chen, K.W. Lih and P.L. Wu, *Equitable coloring and the maximum degree*, European J. Combin. **15** (1994) 443–447.
doi:10.1006/eujc.1994.1047
- [4] R. Frucht and F. Harary, *On the corona of two graphs*, Aequationes Math. **4** (1970) 322–325.
doi:10.1007/BF01844162
- [5] H. Furmańczyk, *Equitable coloring of graphs*, in: M. Kubale, Ed., Graph Colorings (American Mathematical Society, Providence, Rhode Island, 2004).
doi:10.1090/conm/352/03
- [6] H. Furmańczyk, *Equitable coloring of graph products*, Opuscula Math. **26** (2006) 31–44.
- [7] H. Furmańczyk, K. Kaliraj, M. Kubale and V.J. Vivin, *Equitable coloring of corona products of graphs*, Adv. Appl. Discrete Math. **11** (2013) 103–120.
- [8] H. Furmańczyk and M. Kubale, *Equitable coloring of corona products of cubic graphs is harder than ordinary coloring*, Ars Math. Contemp. **10** (2016) 333–347.
- [9] H. Furmańczyk and M. Kubale, *Scheduling of unit-length jobs with cubic incompatibility graphs on three uniform machines*, Discrete Appl. Math. (2017), in press.
doi:10.1016/j.dam.2016.01.036
- [10] A. Hajnal, E. Szemerédi, *Proof of a conjecture of Erdős*, in: Combinatorial Theory and Its Applications, II, Colloq. Math. Soc. János Bolyai, **4** (North-Holland, Amsterdam, 1970).
- [11] H.A. Kierstead, A.V. Kostochka, M. Mydlarz and E. Szemerédi, *A fast algorithm for equitable coloring*, Combinatorica **30** (2010) 217–224.
doi:10.1007/s00493-010-2483-5

- [12] K.W. Lih, *Equitable coloring of graphs*, in: Handbook of Combinatorial Optimization (Springer, New York, 2013) 1199–1248.
doi:10.1007/978-1-4419-7997-1_25
- [13] K.W. Lih and P.L. Wu, *On equitable coloring of bipartite graphs*, Discrete Math. **151** (1996) 155–160.
doi:10.1016/0012-365X(94)00092-W
- [14] W.H. Lin and G.J. Chang, *Equitable colorings of Cartesian products of graphs*, Discrete Appl. Math. **160** (2012) 239–247.
doi:10.1016/j.dam.2011.09.020
- [15] W. Meyer, *Equitable coloring*, Amer. Math. Monthly **80** (1973) 920–922.
doi:10.2307/2319405
- [16] K. Nakprasit, *Equitable colorings of planar graphs with maximum degree at least nine*, Discrete Math. **312** (2012) 1019–1024.
doi:10.1016/j.disc.2011.11.004
- [17] W. Wang and K. Zhang, *Equitable colorings of line graphs and complete r -partite graphs*, Systems Sci. Math. Sci. **13** (2000) 190–194.
- [18] H.P. Yap and Y. Zhang, *The Equitable Δ -Coloring Conjecture holds for outerplanar graphs*, Bull. Inst. Math. Acad. Sin. **25** (1997) 143–149.
- [19] H.P. Yap and Y. Zhang, *Equitable colorings of planar graphs*, J. Combin. Math. Combin. Comput. **27** (1998) 97–105.
- [20] X. Zhang and J.-L. Wu, *On equitable and equitable list colorings of series-parallel graphs*, Discrete Math. **311** (2011) 800–803.
doi:10.1016/j.disc.2011.02.001

Received 22 December 2015
 Revised 27 September 2016
 Accepted 27 September 2016