Full PDF DMGT Page

GENERALIZED RAINBOW CONNECTION OF GRAPHS AND THEIR COMPLEMENTS

Xueliang Li¹, Colton Magnant²

Meiqin Wei 1 and Xiaoyu Zhu 1

¹Center for Combinatorics and LPMC Nankai University, Tianjin 300071, China

²Department of Mathematical Sciences Georgia Southern University Statesboro, GA 30460-8093, USA

e-mail: lxl@nankai.edu.cn cmagnant@georgiasouthern.edu weimeiqin8912@163.com zhuxy@mail.nankai.edu.cn

Abstract

Let G be an edge-colored connected graph. A path P in G is called ℓ -rainbow if each subpath of length at most $\ell + 1$ is rainbow. The graph G is called (k, ℓ) -rainbow connected if there is an edge-coloring such that every pair of distinct vertices of G is connected by k pairwise internally vertex-disjoint ℓ -rainbow paths in G. The minimum number of colors needed to make $G(k, \ell)$ -rainbow connected is called the (k, ℓ) -rainbow connection number of G and denoted by $rc_{k,\ell}(G)$. In this paper, we first focus on the (1, 2)-rainbow connection number of G depending on some constraints of \overline{G} . Then, we characterize the graphs of order n with (1, 2)-rainbow connection number n - 1 or n - 2. Using this result, we investigate the Nordhaus-Gaddum-Type problem of (1, 2)-rainbow connection number and prove that $rc_{1,2}(G) + rc_{1,2}(\overline{G}) \leq n + 2$ for connected graphs G and \overline{G} . The equality holds if and only if G or \overline{G} is isomorphic to a double star.

Keywords: ℓ -rainbow path, (k, ℓ) -rainbow connected, (k, ℓ) -rainbow connection number.

2010 Mathematics Subject Classification: 04C15, 05C40.

References

- E. Andrews, E. Laforge, C. Lumduanhom and P. Zhang, On proper-path colorings in graphs, J. Combin. Math. Combin. Comput. 97 (2016) 189–207.
- [2] V. Borozan, S. Fujita, A. Gerek, C. Magnant, Y. Manoussakis, L. Montero and Zs. Tuza, *Proper connection of graphs*, Discrete Math. **312** (2012) 2550–2560. doi:10.1016/j.disc.2011.09.003
- [3] J.A. Bondy and U.S.R. Murty, Graph Therory (GTM 244, Springer-Verlag, New York, 2008).
- [4] G. Chartrand, S. Devereaux and P. Zhang, Color-connected graphs and informationtransfer paths, Ars Combin., to appear.
- [5] G. Chartrand, G.L. Johns, K.A. McKeon and P. Zhang, *Rainbow connection in graphs*, Math. Bohem. **133** (2008) 85–98.
- [6] S. Devereaux, G.L. Johns and P. Zhang, *Color connection in graphs intermediate to proper and rainbow connection*, J. Combin. Math. Combin. Comput., to appear.
- [7] S. Devereaux and P. Zhang, k-rainbow colorings in graphs, manuscript.
- [8] J.L. Fouquet and J.L. Jolivet, Strong edge-coloring of graphs and applications to multi-k-gons, Ars Combin. 16A (1983) 141–150.
- M. Krivelevich and R. Yuster, The rainbow connection of a graph is (at most) reciprocal to its minimum degree, J. Graph Theory 63 (2010) 185–191. doi:10.1002/jgt.20418
- [10] X. Li and C. Magnant, Properly colored notions of connectivity—a dynamic survey, Theory Appl. Graphs 0(1) (2015) Article 2. doi:10.20429/tag.2015.000102
- [11] X. Li, C. Magnant, M. Wei and X. Zhu, Distance proper connection of graphs (2016) arXiv:1606.06547 [math.CO]
- [12] X. Li and Y. Shi, *Rainbow connection in 3-connected graphs*, Graphs Combin. 29 (2013) 1471–1475.
 doi:10.1007/s00373-012-1204-9
- [13] X. Li, Y. Shi and Y. Sun, *Rainbow connections of graphs: A survey*, Graphs Combin.
 29 (2013) 1–38. doi:10.1007/s00373-012-1243-2
- [14] X. Li and Y. Sun, Rainbow Connections of Graphs (Springer Briefs in Math., Springer, New York, 2012).

Received 26 July 2016 Revised 26 November 2016 Accepted 29 November 2016