

HOMOMORPHIC PREIMAGES OF GEOMETRIC PATHS

SALLY COCKBURN

*Mathematics Department, Hamilton College
Clinton NY, USA*

e-mail: scockbur@hamilton.edu

Abstract

A graph G is a homomorphic preimage of another graph H , or equivalently G is H -colorable, if there exists a graph homomorphism $f : G \rightarrow H$. A geometric graph $\bar{G}$ is a simple graph G together with a straight line drawing of G in the plane with the vertices in general position. A geometric homomorphism (respectively, isomorphism) $\bar{G} \rightarrow \bar{H}$ is a graph homomorphism (respectively, isomorphism) that preserves edge crossings (respectively, and non-crossings). The homomorphism poset $\mathcal{G}$ of a graph G is the set of isomorphism classes of geometric realizations of G partially ordered by the existence of injective geometric homomorphisms. A geometric graph $\bar{G}$ is $\mathcal{H}$ -colorable if $\bar{G} \rightarrow \bar{H}$ for some $\bar{H} \in \mathcal{H}$. In this paper, we provide necessary and sufficient conditions for $\bar{G}$ to be $\mathcal{P}_n$ -colorable for $n \geq 2$. Along the way, we also provide necessary and sufficient conditions for $\bar{G}$ to be $\mathcal{K}_{2,3}$ -colorable.

Keywords: geometric graphs, graph homomorphisms.

2010 Mathematics Subject Classification: 05C60, 05C62, 05C38.

REFERENCES

- [1] D.L. Boutin and S. Cockburn, *Geometric graph homomorphisms*, J. Graph Theory **69** (2012) 97–113.
doi:10.1002/jgt.20566
- [2] D.L. Boutin, S. Cockburn, A.M. Dean and A.M. Margea, *Posets of geometric graphs*, Ars Math. Contemp. **5** (2012) 269–288.
- [3] S. Cockburn, *The homomorphism poset of $K_{3,3}$* , (2013).
arxiv: 1306.5732
- [4] S. Cockburn, *Homomorphism preimages of geometric cycles*, J. Combin. Math. Combin. Comput., to appear.

- [5] S. Cockburn and Y. Song, *The homomorphism poset of $K_{2,n}$* , Australas. J. Combin. **57** (2013) 79–108.
- [6] H. Harborth, *Parity of numbers of crossings for complete n -partite graphs*, Math. Slovaca **26** (1976) 77–95.
- [7] P. Hell and J. Nešetřil, *Graphs and Homomorphisms* (Oxford University Press, Oxford, 2004).
doi:10.1093/acprof:oso/9780198528173.001.0001
- [8] P. Hell and J. Nešetřil, *On the complexity of H -coloring*, J. Combin. Theory Ser. B **48** (1990) 92–110.
doi:10.1016/0095-8956(90)90132-J
- [9] P. Hell, H. Zhou and X. Zhu, *Homomorphisms to oriented cycles*, Combinatorica **13** (1993) 421–433.
doi:10.1007/BF01303514
- [10] P. Hell, H. Zhou and X. Zhu, *On homomorphisms to acyclic local tournaments*, J. Graph Theory **20** (1995) 467–471.
doi:10.1002/jgt.3190200410
- [11] P. Hell and X. Zhu, *Homomorphisms to oriented paths*, Discrete Math. **132** (1994) 107–114.
doi:10.1016/0012-365X(94)90235-6
- [12] P. Hell and X. Zhu, *The existence of homomorphisms to oriented cycles*, SIAM J. Discrete Math. **8** (1995) 208–222.
doi:10.1137/S0895480192239992
- [13] H.A. Maurer, A. Salomaa and D. Wood, *Colorings and interpretations: a connection between graphs and grammar forms*, Discrete Appl. Math. **3** (1981) 119–135.
doi:10.1016/0166-218X(81)90037-8
- [14] H. Zhou, *Characterization of the homomorphic preimages of certain oriented cycles*, SIAM J. Discrete Math. **6** (1993) 87–99.
doi:10.1137/0406007

Received 25 September 2015

Revised 15 October 2016

Accepted 11 January 2017