

ON THE BETA-NUMBER OF FORESTS WITH ISOMORPHIC COMPONENTS

RIKIO ICHISHIMA

*College of Humanities and Sciences, Nihon University, 3-25-40
Sakurajousui Setagaya-ku, Tokyo 156-8550, Japan*

e-mail: ichishima@msh.biglobe.ne.jp

SUSANA-CLARA LÓPEZ

*Departament de Matemàtiques
Universitat Politècnica de Catalunya, BarcelonaTech
C/Esteve Terrades 5, 08860 Castelldefels, Spain*

e-mail: susana.clara.lopez@upc.edu

FRANCESC ANTONI MUNTANER-BATLE

AND

AKITO OSHIMA

*Graph Theory and Applications Research Group
School of Electrical Engineering and Computer Science
Faculty of Engineering and Built Environment
The University of Newcastle, NSW 2308 Australia*

e-mail: fambles@yahoo.es
akitoism@yahoo.co.jp

Abstract

The beta-number, $\beta(G)$, of a graph G is defined to be either the smallest positive integer n for which there exists an injective function $f : V(G) \rightarrow \{0, 1, \dots, n\}$ such that each $uv \in E(G)$ is labeled $|f(u) - f(v)|$ and the resulting set of edge labels is $\{c, c+1, \dots, c+|E(G)|-1\}$ for some positive integer c or $+\infty$ if there exists no such integer n . If $c = 1$, then the resulting beta-number is called the strong beta-number of G and is denoted by $\beta_s(G)$. In this paper, we show that if G is a bipartite graph and m is odd, then $\beta(mG) \leq m\beta(G) + m - 1$. This leads us to conclude that $\beta(mG) = m|V(G)| - 1$ if G has the additional property that G is a graceful nontrivial

tree. In addition to these, we examine the (strong) beta-number of forests whose components are isomorphic to either paths or stars.

Keywords: beta-number, strong beta-number, graceful labeling, Skolem sequence, hooked Skolem sequence.

2010 Mathematics Subject Classification: Primary: 05C78; Secondary: 05C05.

REFERENCES

- [1] B.D. Acharya and S.M. Hegde, *Strongly indexable graphs*, Discrete Math. **93** (1991) 123–129.
doi:10.1016/0012-365X(91)90248-Z
- [2] R. Cattell, *Graceful labellings of paths*, Discrete Math. **307** (2007) 3161–3176.
doi:10.1016/j.disc.2007.03.046
- [3] G. Chartrand and L. Lesniak, *Graphs & Digraphs* (Wadsworth & Brook/Cole Advanced Books and Software, Monterey, Calif., 1986).
- [4] A.R. Eckler, *Construction of missile guidance codes resistant to random interference*, Bell Syst. Tech. J. **39** (1960) 937–994.
doi:10.1002/j.1538-7305.1960.tb03950.x
- [5] H. Enomoto, A. Lladó, T. Nakamigawa and G. Ringel, *Super edge-magic graphs*, SUT J. Math. **34** (1998) 105–109.
- [6] R.M. Figueroa-Centeno, R. Ichishima, F.A. Muntaner-Batle and M. Rius-Font, *Labeling generating matrices*, J. Combin. Math. Combin. Comput. **67** (2008) 189–216.
- [7] J.A. Gallian, *A dynamic survey of graph labeling*, Electron. J. Combin. **19** (2016) #DS6.
- [8] S.W. Golomb, *How to number a graph*, in: Graph Theory and Computing, R.C. Read, Ed. (Academic Press, New York, 1972) 23–37.
- [9] R. Ichishima, F.A. Muntaner-Batle and A. Oshima, *The measurements of closeness to graceful graphs*, Australas. J. Combin. **63** (2015) 197–210.
- [10] E.S. O’Keefe, *Verification of a conjecture of Th. Skolem*, Math. Scand. **9** (1961) 80–82.
doi:10.7146/math.scand.a-10624
- [11] S.C. López and F.A. Muntaner-Batle, *Langford sequences and a product of digraphs*, European J. Combin. **53** (2016) 86–95.
doi:10.1016/j.ejc.2015.11.004
- [12] S.C. López, F.A. Muntaner-Batle and M. Rius-Font, *Labeling constructions using digraphs products*, Discrete Appl. Math. **161** (2013) 3005–3016.
doi:10.1016/j.dam.2013.06.006

- [13] A. Rosa, *On certain valuations of the vertices of a graph*, in: Theory of Graphs (Internat. Symposium, Rome, July 1966), (Gordon and Breach, N.Y. and Dunod, Paris, 1967) 349–355.
- [14] A. Rosa, *Labeling snakes*, Ars Combin. **3** (1977) 67–73.
- [15] A. Rosa and J. Širáň, *Bipartite labelings of trees and the gracesize*, J. Graph Theory **19** (1995) 201–215.
doi:10.1002/jgt.3190190207
- [16] N. Shalaby, *Skolem sequences*, in: Handbook of Combinatorial Designs, Second Edition, C.J. Colbourn and J.H. Dinitz (Eds.), Discrete Mathematics and its Applications (Chapman & Hall/CRC, Boca Raton, FL, 2007) 612–617.
- [17] T. Skolem, *On certain distribution of integers into pairs with given differences*, Math. Scand. **5** (1957) 57–68.
doi:10.7146/math.scand.a-10490

Received 27 July 2016
 Revised 30 January 2017
 Accepted 30 January 2017