

ETERNAL m -SECURITY BONDAGE NUMBERS IN GRAPHS

HAMIDEH ARAM

Department of Mathematics
Gareziaeddin Center, Khoy Branch
Islamic Azad University, Khoy, Iran
e-mail: hamideh.aram@gmail.com

MARYAM ATAPOUR

Department of Mathematics
Faculty of Basic Sciences
University of Bonab, Bonab, I.R. Iran
e-mail: m.atapour@bonabu.ac.ir

AND

SEYED MAHMOUD SHEIKHOESLAMI

Department of Mathematics
Azarbaijan Shahid Madani University
Tabriz, I.R. Iran
e-mail: s.m.sheikholeslami@azaruniv.edu

Abstract

An eternal m -secure set of a graph $G = (V, E)$ is a set $S_0 \subseteq V$ that can defend against any sequence of single-vertex attacks by means of multiple guard shifts along the edges of G . The eternal m -security number $\sigma_m(G)$ is the minimum cardinality of an eternal m -secure set in G . The eternal m -security bondage number $b_{\sigma_m}(G)$ of a graph G is the minimum cardinality of a set of edges of G whose removal from G increases the eternal m -security number of G . In this paper, we study properties of the eternal m -security bondage number. In particular, we present some upper bounds on the eternal m -security bondage number in terms of eternal m -security number and edge connectivity number, and we show that the eternal m -security bondage number of trees is at most 2 and we classify all trees attaining this bound.

Keywords: eternal m -secure set, eternal m -security number, eternal m -security bondage number.

2010 Mathematics Subject Classification: 05C69.

REFERENCES

- [1] A.P. Burger, E.J. Cockayne, W.R. Gröndlingh, C.M. Mynhardt, J.H. van Vuuren and W. Winterbach, *Infinite order domination in graphs*, J. Combin. Math. Combin. Comput. **50** (2004) 179–194.
- [2] J.F. Fink, M.S. Jacobson, L.F. Kinch and J. Roberts, *The bondage number of a graph*, Discrete Math. **86** (1990) 47–58.
doi:10.1016/0012-365X(90)90348-L
- [3] W. Goddard, S.M. Hedetniemi and S.T. Hedetniemi, *Eternal security in graphs*, J. Combin. Math. Combin. Comput. **52** (2005) 160–180.
- [4] B.L. Hartnell and D.F. Rall, *Bounds on the bondage number of a graph*, Discrete Math. **128** (1994) 173–177.
doi:10.1016/0012-365X(94)90111-2
- [5] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, *Fundamentals of Domination in graphs* (New York, Marcel Dekker, Inc., 1998).
- [6] J. Huang and J. Ming Xu, *The bondage numbers and efficient dominations of vertex-transitive graphs*, Discrete Math. **308** (2008) 571–582.
doi:10.1016/j.disc.2007.03.027
- [7] A. Meir and J.W. Moon, *Relations between packing and covering numbers of a tree*, Pacific J. Math. **61** (1975) 225–233.
doi:10.2140/pjm.1975.61.225
- [8] U. Teschner, *The bondage number of a graph G can be much greater than $\Delta(G)$* , Ars Combin. **43** (1996) 81–87.
- [9] U. Teschner, *New results about the bondage number of a graph*, Discrete Math. **171** (1997) 249–259.
doi:10.1016/S0012-365X(96)00007-6
- [10] U. Teschner, *A counterexample to a conjecture on the bondage number of a graph*, Discrete Math. **122** (1993) 393–395.
doi:10.1016/0012-365X(93)90317-M
- [11] D.B. West, *Introduction to Graph Theory* (Prentice-Hall, Inc., 2000).
- [12] Jun-Ming Xu, *On bondage numbers of graphs: a survey with some comments*, Int. J. Combin. **2013**, article ID 595210, 34 pages.
doi:10.1155/2013/595210

Received 12 September 2016

Revised 3 April 2017

Accepted 3 April 2017