

BOUNDS ON THE SIGNED ROMAN k -DOMINATION NUMBER OF A DIGRAPH

GUOLIANG HAO

College of Science
East China University of Technology
Nanchang 330013, P.R. China

e-mail: guoliang-hao@163.com

XIAODAN CHEN¹

College of Mathematics and Information Science
Guangxi University
Nanning 530004, P. R. China

e-mail: x.d.chen@live.cn

AND

LUTZ VOLKMANN

Lehrstuhl II für Mathematik
RWTH Aachen University
52056 Aachen, Germany

e-mail: volkm@math2.rwth-aachen.de

Abstract

Let k be a positive integer. A signed Roman k -dominating function (SRkDF) on a digraph D is a function $f : V(D) \rightarrow \{-1, 1, 2\}$ satisfying the conditions that (i) $\sum_{x \in N^-[v]} f(x) \geq k$ for each $v \in V(D)$, where $N^-[v]$ is the closed in-neighborhood of v , and (ii) each vertex u for which $f(u) = -1$ has an in-neighbor v for which $f(v) = 2$. The weight of an SRkDF f is $\sum_{v \in V(D)} f(v)$. The signed Roman k -domination number $\gamma_{sR}^k(D)$ of a digraph D is the minimum weight of an SRkDF on D . We determine the exact values of the signed Roman k -domination number of some special classes of digraphs and establish some bounds on the signed Roman k -domination number of general digraphs. In particular, for an oriented tree T of order

¹Corresponding author.

n , we show that $\gamma_{sR}^2(T) \geq (n+3)/2$, and we characterize the oriented trees achieving this lower bound.

Keywords: signed Roman k -dominating function, signed Roman k -domination number, digraph, oriented tree.

2010 Mathematics Subject Classification: 05C69, 05C20.

REFERENCES

- [1] H.A. Ahangar, M.A. Henning, C. Löwenstein, Y. Zhao and V. Samodivkin, *Signed Roman domination in graphs*, J. Comb. Optim. **27** (2014) 241–255.
doi:10.1007/s10878-012-9500-0
- [2] Y. Caro and M.A. Henning, *Directed domination in oriented graphs*, Discrete Appl. Math. **160** (2012) 1053–1063.
doi:10.1016/j.dam.2011.12.027
- [3] G. Chartrand and L. Lesniak, *Graphs and Digraphs*, Fourth Ed. (Chapman and Hall, Boca Raton, FL, 2005).
- [4] J. Cyman, *Total outer-connected domination in trees*, Discuss. Math. Graph Theory **3** (2010) 377–383.
doi:10.7151/dmgt.1500
- [5] G. Hao and J. Qian, *On the sum of out-domination number and in-domination number of digraphs*, Ars Combin. **119** (2015) 331–337.
- [6] F. Harary, R.Z. Norman and D. Cartwright, *Structural Models* (Wiley, New York, 1965).
- [7] M.A. Henning and V. Naicker, *Bounds on the disjunctive total domination number of a tree*, Discuss. Math. Graph Theory **36** (2016) 153–171.
doi:10.7151/dmgt.1854
- [8] M.A. Henning and L. Volkmann, *Signed Roman k -domination in trees*, Discrete Appl. Math. **186** (2015) 98–105.
doi:10.1016/j.dam.2015.01.019
- [9] M.A. Henning and L. Volkmann, *Signed Roman k -domination in graphs*, Graphs Combin. **32** (2016) 175–190.
doi:10.1007/s00373-015-1536-3
- [10] S.M. Sheikholeslami and L. Volkmann, *Signed Roman domination in digraphs*, J. Comb. Optim. **30** (2015) 456–467.
doi:10.1007/s10878-013-9648-2
- [11] L. Volkmann, *Signed Roman k -domination in digraphs*, Graphs Combin. **32** (2016) 1217–1227.
doi:10.1007/s00373-015-1641-3

- [12] B. Zelinka, *Signed domination numbers of directed graphs*, Czechoslovak Math. J. **55** (2005) 479–482.
doi:10.1007/s10587-005-0038-5

Received 23 November 2016

Revised 11 May 2017

Accepted 11 May 2017