

GAPS IN THE SATURATION SPECTRUM OF TREES

RONALD J. GOULD

Department of Mathematics and Computer Science
Emory University, Atlanta USA

e-mail: rg@mathcs.emory.edu

PAUL HORN¹

Department of Mathematics
University of Denver USA

e-mail: paul.horn@du.edu

MICHAEL S. JACOBSON

Department of Mathematics
University of Colorado Denver, USA

e-mail: michael.jacobson@ucdenver.edu

AND

BRENT J. THOMAS

Department of Mathematics and Statistics
Utah State University, USA

e-mail: brent.thomas@usu.edu

Abstract

A graph G is H -saturated if H is not a subgraph of G but the addition of any edge from the complement of G to G results in a copy of H . The minimum number of edges (the size) of an H -saturated graph on n vertices is denoted $\text{sat}(n, H)$, while the maximum size is the well studied extremal number, $\text{ex}(n, H)$. The saturation spectrum for a graph H is the set of sizes of H -saturated graphs between $\text{sat}(n, H)$ and $\text{ex}(n, H)$. In this paper we show that paths, trees with a vertex adjacent to many leaves, and brooms have a gap in the saturation spectrum.

Keywords: saturation spectrum, tree, saturation number.

2010 Mathematics Subject Classification: 05C35, 05C05.

¹This work was partially funded by NSA Young Investigator Grant H98230-15-1-0258.

REFERENCES

- [1] K. Amin, J. Faudree, R.J. Gould and E. Sidorowicz, *On the non- $(p - 1)$ -partite K_p -free graphs*, Discuss. Math. Graph Theory **33** (2013) 9–23.
doi:10.7151/dmgt.1654
- [2] C. Barefoot, K. Casey, D. Fisher, K. Fraughnaugh and F. Harary, *Size in maximal triangle-free graphs and minimal graphs of diameter 2*, Discrete Math. **138** (1995) 93–99.
doi:10.1016/0012-365X(94)00190-T
- [3] G.A. Dirac, *Some theorems on abstract graphs*, Proc. Lond. Math. Soc. **s3-2** (1952) 69–81.
doi:10.1112/plms/s3-2.1.69
- [4] P. Erdős, *Extremal problems in graph theory*, in: Proc. Sympos. Smolenice **13** (1963) 29–36.
- [5] P. Erdős, and M. Simonovits, *A limit theorem in graph theory*, Studia Sci. Math. Hungar. **1** (1965) 51–57.
- [6] P. Erdős and T. Gallai, *On maximal paths and circuits of graphs*, Acta Math. Acad. Sci. Hungar. **10** (1959) 337–356.
- [7] J. Faudree, R.J. Gould, M. Jacobson and B. Thomas, *Saturation spectrum for brooms*, manuscript.
- [8] R.J. Gould, W. Tang, E. Wei and C. Zhang, *The edge spectrum of the saturation number for small paths*, Discrete Math. **312** (2012) 2682–2689.
doi:10.1016/j.disc.2012.01.012
- [9] W. Mantel, *Problem 28*, Wiskundige Opgaven **10** (1907) 60–61.
- [10] A. McLennan, *The Erdős-Sós conjecture for trees of diameter four*, J. Graph Theory **49** (2005) 291–301.
doi:10.1002/jgt.20083
- [11] A.F. Sidorenko, *Asymptotic solution for a new class of forbidden r -graphs*, Combinatorica **9** (1989) 207–215.
doi:10.1007/BF02124681
- [12] P. Turán, *On an extremal problem in graph theory*, Mat. Fiz. Lapok **48** (1941) 436–452, in Hungarian.
- [13] A. Doğan, *On Saturated Graphs and Combinatorial Games* (University of Memphis, 2016).
- [14] J. Hladký, J. Komlós, D. Piguet, M. Simonovits, M. Stein and E. Szemerédi, *The approximate Loeb-Komlós-Sós Conjecture I: The sparse decomposition*, SIAM J. Discrete Math. **31** (2017) 945–982.
doi:10.1137/140982842

- [15] J. Hladký, J. Komlós, D. Piguet, M. Simonovits, M. Stein and E. Szemerédi, *The approximate Loeb-Komlós-Sós Conjecture II: The rough structure of LKS graphs*, SIAM J. Discrete Math. **31** (2017) 983–1016.
doi:10.1137/140982854
- [16] J. Hladký, J. Komlós, D. Piguet, M. Simonovits, M. Stein and E. Szemerédi, *The approximate Loeb-Komlós-Sós Conjecture III: The finer structure of LKS graphs*, SIAM J. Discrete Math. **31** (2017) 1017–1071.
doi:10.1137/140982866
- [17] J. Hladký, J. Komlós, D. Piguet, M. Simonovits, M. Stein, M. and E. Szemerédi, *The approximate Loeb-Komlós-Sós Conjecture IV: Embedding techniques and the proof of the main result*, SIAM J. Discrete Math. **31** (2017) 1072–1148.
doi:10.1137/140982878

Received 31 August 2016

Revised 26 June 2017

Accepted 26 June 2017