Discussiones Mathematicae
Graph Theory 39 (2019) 391–413
doi:10.7151/dmgt.2085

ON 3-COLORINGS OF DIRECT PRODUCTS OF GRAPHS

Simon Špacapan[1]

University of Maribor, FME, Smetanova 17, 2000 Maribor, Slovenia
IMFM, Jadranska 19, 1000 Ljubljana, Slovenia

e-mail: simon.spacapan@um.si

Abstract

The k-independence number of a graph G, denoted as $\alpha_k(G)$, is the order of a largest induced k-colorable subgraph of G. In [S. Špacapan, *The k-independence number of direct products of graphs*, European J. Combin. 32 (2011) 1377–1383] the author conjectured that the direct product $G \times H$ of graphs G and H obeys the following bound

$$\alpha_k(G \times H) \leq \alpha_k(G)|V(H)| + \alpha_k(H)|V(G)| - \alpha_k(G)\alpha_k(H),$$

and proved the conjecture for $k = 1$ and $k = 2$. If true for $k = 3$ the conjecture strenghtens the result of El-Zahar and Sauer who proved that any direct product of 4-chromatic graphs is 4-chromatic [M. El-Zahar and N. Sauer, *The chromatic number of the product of two 4-chromatic graphs is 4*, Combinatorica 5 (1985) 121–126]. In this paper we prove that the above bound is true for $k = 3$ provided that G and H are graphs that have complete tripartite subgraphs of orders $\alpha_3(G)$ and $\alpha_3(H)$, respectively.

Keywords: independence number, direct product, Hedetniemi's conjecture.

2010 Mathematics Subject Classification: 05C15, 05C69, 05C67.

References

[1] N. Alon, I. Dinur, E. Friedgut and B. Sudakov, *Graph products, Fourier analysis and spectral techniques*, Geom. Funct. Anal. **14** (2004) 913–940. doi:10.1007/s00039-004-0478-3

[2] M. El-Zahar and N. Sauer, *The chromatic number of the product of two 4-chromatic graphs is 4*, Combinatorica **5** (1985) 121–126. doi:10.1007/BF02579374

[1]The author is supported by ARRS, grant P1-0297.

[3] D. Greenwell and L. Lovász, *Applications of product colouring*, Acta Math. Acad. Sci. Hungar. **25** (1974) 335–340.
doi:10.1007/BF01886093

[4] X.B. Geng, J. Wang and H. Zhang, *Structure of independent sets in direct products of some vertex-transitive graphs*, Acta Math. Sin. (Engl. Ser.) **28** (2012) 697–706.
doi:10.1007/s10114-011-0311-5

[5] R. Hammack, W. Imrich and S. Klavžar, Handbook of Product Graphs, Second Edition (CRC Press, Boca Raton, FL, 2011).

[6] S.T. Hedetniemi, Homomorphisms and graph automata, University of Michigan Technical Report 03105–44–T (1966).

[7] P.K. Jha and S. Klavžar, *Independence in direct-product graphs*, Ars Combin. **50** (1998) 53–63.

[8] B. Larose and C. Tardif, *Projectivity and independent sets in powers of graphs*, J. Graph Theory **40** (2002) 162–171.
doi:10.1002/jgt.10041

[9] S. Špacapan, *The k-independence number of direct products of graphs and Hedetniemi's conjecture*, European J. Combin **32** (2011) 1377–1383.
doi:10.1016/j.ejc.2011.07.002

[10] C. Tardif, *Hedetniemi's conjecture* 40 *years later*, Graph Theory Notes of New York LIV (2008) 46–57.

[11] C. Tardif, *Hedetniemi's conjecture and dense Boolean lattices*, Order **28** (2011) 181–191.
doi:10.1007/s11083-010-9162-4

[12] Á. Tóth, *On the ultimate categorical independence ratio*, J. Combin. Theory Ser. B **108** (2014) 29–39.
doi:10.1016/j.jctb.2014.02.010

[13] M. Valencia-Pabon and J. Vera, *Independence and coloring properties of direct products of some vertex-transitive graphs*, Discrete Math. **306** (2006) 2275–2281.
doi:10.1016/j.disc.2006.04.013

[14] H. Zhang, *Primitivity and independent sets in direct products of vertex-transitive graphs*, J. Graph Theory **67** (2011) 218–225.
doi:10.1002/jgt.20526

[15] H. Zhang, *Independent sets in direct products of vertex-transitive graphs*, J. Combin. Theory Ser. B **102** (2012) 832–838.
doi:10.1016/j.jctb.2011.12.005

[16] X. Zhu, *A survey on Hedetniemi's conjecture*, Taiwanese J. Math. **2** (1998) 1–24.
doi:10.11650/twjm/1500406890

[17] X. Zhu, *The fractional version of Hedetniemi's conjecture is true*, European J. Combin. **32** (2011) 1168–1175.
doi:10.1016/j.ejc.2011.03.004

Received 17 November 2016
Revised 25 May 2017
Accepted 11 September 2017