

ON THE CO-ROMAN DOMINATION IN GRAPHS

ZEHUI SHAO

Institute of Computing Science and Technology
Guangzhou University, Guangzhou 510006, China

e-mail: zshao@gzhu.edu.cn

SEYED MAHMOUD SHEIKHOLESLAMI, MARZIEH SOROUDI

Department of Mathematics
Azarbaijan Shahid Madani University
Tabriz, I.R. Iran

e-mail: {s.m.sheikholeslami;m.soroudi}@azaruniv.ac.ir

LUTZ VOLKMANN

Lehrstuhl II für Mathematik
RWTH Aachen University 52056 Aachen, Germany
e-mail: volkm@math2.rwth-aachen.de

AND

XINMIAO LIU

Beijing Foreign Studies University
Beijing 100089, China

Abstract

Let $G = (V, E)$ be a graph and let $f : V(G) \rightarrow \{0, 1, 2\}$ be a function. A vertex v is said to be protected with respect to f , if $f(v) > 0$ or $f(v) = 0$ and v is adjacent to a vertex of positive weight. The function f is a *co-Roman dominating function* if (i) every vertex in V is protected, and (ii) each $v \in V$ with positive weight has a neighbor $u \in V$ with $f(u) = 0$ such that the function $f_{uv} : V \rightarrow \{0, 1, 2\}$, defined by $f_{uv}(u) = 1$, $f_{uv}(v) = f(v) - 1$ and $f_{uv}(x) = f(x)$ for $x \in V \setminus \{v, u\}$, has no unprotected vertex. The *weight* of f is $\omega(f) = \sum_{v \in V} f(v)$. The *co-Roman domination number* of a graph G , denoted by $\gamma_{cr}(G)$, is the minimum weight of a co-Roman dominating function on G . In this paper, we give a characterization of graphs of order n for which co-Roman domination number is $\frac{2n}{3}$ or $n - 2$, which settles

two open problem in [S. Arumugam, K. Ebadi and M. Manrique, *Co-Roman domination in graphs*, Proc. Indian Acad. Sci. Math. Sci. **125** (2015) 1–10]. Furthermore, we present some sharp bounds on the co-Roman domination number.

Keywords: co-Roman dominating function, co-Roman domination number, Roman domination.

2010 Mathematics Subject Classification: 05C69.

REFERENCES

- [1] H. Abdollahzadeh Ahangar, M.A. Henning, V. Samodivkin and I.G. Yero, *Total Roman domination in graphs*, Appl. Anal. Discrete Math. **10** (2016) 501–517.
doi:10.2298/AADM160802017A
- [2] S. Arumugam, K. Ebadi and M. Manrique, *Co-Roman dominaton in graphs*, Proc. Indian Acad. Sci. Math. Sci. **125** (2015) 1–10.
doi:10.1007/s12044-015-0209-8
- [3] R.A. Beeler, T.W. Haynes and S.T. Hedetniemi, *Double Roman domination*, Discrete Appl. Math. **211** (2016) 23–29.
doi:10.1016/j.dam.2016.03.017
- [4] E.W. Chambers, B. Kinnersley, N. Prince and D.B. West, *Extremal problems for Roman domination*, SIAM J. Discrete Math. **23** (2009) 1575–1586.
doi:10.1137/070699688
- [5] M. Chellali, T.W. Haynes, S.T. Hedetniemi and A. McRae, *Roman {2}-domination*, Discrete Appl. Math. **204** (2016) 22–28.
doi:10.1016/j.dam.2015.11.013
- [6] E.J. Cockayne, P.A. Dreyer Jr., S.M. Hedetniemi and S.T. Hedetniemi, *Roman domination in graphs*, Discrete Math. **278** (2004) 11–22.
doi:10.1016/j.disc.2003.06.004
- [7] O. Favaron, H. Karami, R. Khoeilar and S.M. Sheikholeslami, *On the Roman domination number of a graph*, Discrete Math. **309** (2009) 3447–3451.
doi:10.1016/j.disc.2008.09.043
- [8] J. Fink, M. Jacobson, L. Kinch and J. Roberts, *On graphs having domination number half their order*, Period. Math. Hungar. **16** (1985) 287–293.
doi:10.1007/BF01848079
- [9] T.W. Haynes and S.T. Hedetniemi and P.J. Slater, Fundamentals of Domination in Graphs (Marcel Dekker Inc., New York, 1998).
- [10] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, Domination in Graphs: Advanced Topics (Marcel Dekker Inc., New York, 1998).
- [11] M.A. Henning and S.T. Hedetniemi, *Defending the Roman Empire—A new strategy*, Discrete Math. **266** (2003) 239–251.
doi:10.1016/S0012-365X(02)00811-7

- [12] C. Payan and N.H. Xuong, *Domination-balanced graphs*, J. Graph Theory **6** (1982) 23–32.
doi:10.1002/jgt.3190060104
- [13] C.S. ReVelle and K.E. Rosing, *Defendens imperium Romanum: a classical problem in military strategy*, Amer. Math. Monthly **107** (2000) 585–594.
doi:10.2307/2589113
- [14] I. Stewart, *Defend the Roman Empire*, Sci. Amer. **281** (1999) 136–138.
doi:10.1038/scientificamerican1299-136
- [15] Z. Zhang, Z. Shao and X. Xu, *On the Roman domination numbers of generalized Petersen graphs*, J. Combin. Math. Combin. Comput. **89** (2014) 311–320.

Received 21 October 2016
Revised 13 September 2017
Accepted 13 September 2017