

A NOTE ON UPPER BOUNDS FOR SOME GENERALIZED FOLKMAN NUMBERS

XIAODONG XU¹

Guangxi Academy of Sciences
Nanning 530007, P.R. China

e-mail: xxdmaths@sina.com

MEILIAN LIANG

School of Mathematics and Information Science
Guangxi University
Nanning 530004, P.R. China

e-mail: gxulml@163.com

AND

STANISŁAW RADZISZOWSKI

Department of Computer Science
Rochester Institute of Technology
Rochester, NY 14623, USA

e-mail: spr@cs.rit.edu

Abstract

We present some new constructive upper bounds based on product graphs for generalized vertex Folkman numbers. They lead to new upper bounds for some special cases of generalized edge Folkman numbers, including the cases $F_e(K_3, K_4 - e; K_5) \leq 27$ and $F_e(K_4 - e, K_4 - e; K_5) \leq 51$. The latter bound follows from a construction of a K_5 -free graph on 51 vertices, for which every edge coloring with two colors contains a monochromatic $K_4 - e$.

Keywords: Folkman number, Ramsey number.

2010 Mathematics Subject Classification: 05C55, 05C35.

REFERENCES

¹Supported by the National Natural Science Foundation of China (11361008).

- [1] A. Bikov and N. Nenov, *The edge Folkman number $F_e(3, 3; 4)$ is greater than 19*, Geombinatorics **XXVII** (2017) 5–14.
- [2] A. Dudek, T. Retter and V. Rödl, *On generalized Ramsey numbers of Erdős and Rogers*, J. Combin. Theory Ser. B **109** (2014) 213–227.
doi:10.1016/j.jctb.2014.06.006
- [3] J. Folkman, *Graphs with monochromatic complete subgraphs in every edge coloring*, SIAM J. Appl. Math. **18** (1970) 19–24.
doi:10.1137/0118004
- [4] R.L. Graham, B.L. Rothschild and J.H. Spencer, *Ramsey Theory* (John Wiley & Sons, 1990).
- [5] N. Kolev, *A multiplicative inequality for vertex Folkman numbers*, Discrete Math. **308** (2008) 4263–4266.
doi:10.1016/j.disc.2007.08.008
- [6] Y. Li and Q. Lin, *On generalized Folkman numbers*, Taiwanese J. Math. **21** (2017) 1–9.
doi:10.11650/tjm.21.2017.7710
- [7] Q. Lin and Y. Li, *A Folkman linear family*, SIAM J. Discrete Math. **29** (2015) 1988–1998.
doi:10.1137/130947647
- [8] N. Nenov, *An example of a 15-vertex $(3, 3)$ -Ramsey graph with clique number 4*, C.R. Acad. Bulgare Sci. **34** (1981) 1487–1489, in Russian.
- [9] J. Nešetřil and V. Rödl, *The Ramsey property for graphs with forbidden complete subgraphs*, J. Combin. Theory Ser. B **20** (1976) 243–249.
doi:10.1016/0095-8956(76)90015-0
- [10] K. Piwakowski, S. Radziszowski and S. Urbański, *Computation of the Folkman number $F_e(3, 3; 5)$* , J. Graph Theory **32** (1999) 41–49.
doi:10.1002/(SICI)1097-0118(199909)32:1<41::AID-JGT4>3.0.CO;2-P
- [11] V. Rödl, A. Ruciński and M. Schacht, *An exponential-type upper bound for Folkman numbers*, Combinatorica **30** (2017) 767–784.
doi:10.1007/s00493-015-3298-1
- [12] X. Xu, M. Liang and S. Radziszowski, *Chromatic vertex Folkman numbers*, (2018) preprint.
arXiv 1612.08136
- [13] X. Xu, M. Liang and S. Radziszowski, *On the nonexistence of some generalized Folkman numbers*, Graphs Combin., to appear.
arXiv 1705.06268
- [14] X. Xu, H. Luo and Z. Shao, *Upper and lower bounds for $F_v(4, 4; 5)$* , Electron. J. Combin. (2010) **17** #N34.
- [15] X. Xu and Z. Shao, *On the lower bound for $F_v(k, k; k + 1)$ and $F_e(3, 4; 5)$* , Util. Math. **81** (2010) 187–192.

- [16] X. Xu, H. Luo, W. Su and K. Wu, *On the upper bounds for vertex Folkman numbers*, Guangxi Sci. **15** (2008) 211–215.

Received 29 September 2017

Revised 10 January 2018

Accepted 10 January 2018