

DECOMPOSITION OF THE TENSOR PRODUCT OF COMPLETE GRAPHS INTO CYCLES OF LENGTHS 3 AND 6

P. PAULRAJA AND R. SRIMATHI

*Department of Mathematics
Kalasalingam Academy of Research and Education
Krishnankoil-626126, India*

e-mail: ppraja56@gmail.com
gsrimathi66@gmail.com

Abstract

By a $\{C_3^\alpha, C_6^\beta\}$ -decomposition of a graph G , we mean a partition of the edge set of G into α cycles of length 3 and β cycles of length 6. In this paper, necessary and sufficient conditions for the existence of a $\{C_3^\alpha, C_6^\beta\}$ -decomposition of $(K_m \times K_n)(\lambda)$, where $\times$ denotes the tensor product of graphs and λ is the multiplicity of the edges, is obtained. In fact, we prove that for $\lambda \geq 1$, $m, n \geq 3$ and $(m, n) \neq (3, 3)$, a $\{C_3^\alpha, C_6^\beta\}$ -decomposition of $(K_m \times K_n)(\lambda)$ exists if and only if $\lambda(m-1)(n-1) \equiv 0 \pmod{2}$ and $3\alpha + 6\beta = \frac{\lambda m(m-1)n(n-1)}{2}$.

Keywords: cycle decomposition, tensor product.

2010 Mathematics Subject Classification: 05B30, 05C70.

REFERENCES

- [1] B. Alspach and H. Gavlas, *Cycle decompositions of K_n and $K_n - I$* , J. Combin. Theory Ser. B **81** (2001) 77–99.
doi:10.1006/jctb.2000.1996
- [2] J. Asplund, J. Chaffee and J.M. Hammer, *Decomposition of a complete bipartite multigraph into arbitrary cycle sizes*, Graphs Combin. **33** (2017) 715–728.
doi:10.1007/s00373-017-1817-0
- [3] A.M. Assaf, *Modified group divisible designs*, Ars Combin. **29** (1990) 13–20.
- [4] A.M. Assaf, *An application of modified group divisible designs*, J. Combin. Theory Ser. A **68** (1994) 152–168.
doi:10.1016/0097-3165(94)90095-7

- [5] A.M. Assaf, *Modified group divisible designs with block size 4 and $\lambda > 1$* , Australas. J. Combin. **16** (1997) 229–238.
- [6] A.M. Assaf and R. Wei, *Modified group divisible designs with block size 4 and $\lambda = 1$* , Discrete Math. **195** (1999) 15–25.
doi:10.1016/S0012-365X(98)00161-7
- [7] M.A. Bahmanian and M. Šajna, *Decomposing complete equipartite multigraphs into cycles of variable lengths: The Amalgamation-detachment approach*, J. Combin. Des. **24** (2016) 165–183.
doi:10.1002/jcd.21419
- [8] R. Balakrishnan, J.-C. Bermond, P. Paulraja and M.-L. Yu, *On Hamilton cycle decompositions of the tensor product of complete graphs*, Discrete Math. **268** (2003) 49–58.
doi:10.1016/S0012-365X(02)00680-5
- [9] R. Balakrishnan and K. Ranganathan, *A Textbook of Graph Theory*, 2nd Ed. (Springer, New York, 2012).
doi:10.1007/978-1-4614-4529-6
- [10] E.J. Billington, *Decomposing complete tripartite graphs into cycles of lengths 3 and 4*, Discrete Math. **197/198** (1999) 123–135.
doi:10.1016/S0012-365X(99)90049-3
- [11] E.J. Billington and N.J. Cavenagh, *Sparse graphs which decompose into closed trails of arbitrary lengths*, Graphs Combin. **24** (2008) 129–147.
doi:10.1007/s00373-008-0783-y
- [12] E.J. Billington, D.G. Hoffman and B.M. Maenhaut, *Group divisible pentagon systems*, Util. Math. **55** (1999) 211–219.
- [13] D. Bryant, D. Horsley and W. Pettersson, *Cycle decompositions V: Complete graphs into cycles of arbitrary lengths*, Proc. Lond. Math. Soc. (3) **108** (2014) 1153–1192.
doi:10.1112/plms/pdt051
- [14] D. Bryant, D. Horsley, B. Maenhaut and B.R. Smith, *Decompositions of complete multigraphs into cycles of varying lengths*, J. Combin. Theory Ser. B **129** (2018) 79–106.
doi:10.1016/j.jctb.2017.09.005
- [15] M. Buratti, H. Cao, D. Dai and T. Traetta, *A complete solution to the existence of (k, λ) -cycle frames of type g^u* , J. Combin. Des. **25** (2017) 197–230.
doi:10.1002/jcd.21523
- [16] C.C. Chou, C.M. Fu and W.C. Huang, *Decomposition of $K_{m,n}$ into short cycles*, Discrete Math. **197/198** (1999) 195–203.
doi:10.1016/S0012-365X(99)90063-8
- [17] C.C. Chou and C.M. Fu, *Decomposition of $K_{m,n}$ into 4-cycles and $2t$ -cycles*, J. Comb. Optim. **14** (2007) 205–218.
doi:10.1007/s10878-007-9060-x

- [18] C.M. Fu, K.C. Huang and M. Mishima, *Decomposition of complete bipartite graphs into cycles of distinct even lengths*, Graphs Combin. **32** (2016) 1397–1413.
doi:10.1007/s00373-015-1664-9
- [19] S. Ganesamurthy and P. Paulraja, *Decompositions of complete tripartite graphs into cycles of lengths 3 and 6*, Australas. J. Combin. **73** Part 1, to appear.
- [20] H. Hanani, *Balanced incomplete block designs and related designs*, Discrete Math. **11** (1975) 255–369.
doi:10.1016/0012-365X(75)90040-0
- [21] D.G. Hoffman, C.C. Lindner and C.A. Rodger, *On the construction of odd cycle systems*, J. Graph Theory **13** (1989) 417–426.
doi:10.1002/jgt.3190130405
- [22] M.H. Huang and H.L. Fu, *(4, 5)-cycle systems of complete multipartite graphs*, Taiwanese J. Math. **16** (2012) 999–1006.
doi:10.11650/twjm/1500406672
- [23] C.C. Lindner and C.A. Rodger, *Design Theory*, 2nd Ed. (CRC Press, Boca Raton, 2009).
- [24] A.C.H. Ling and C.J. Colbourn, *Modified group divisible designs with block size four*, Discrete Math. **219** (2000) 207–221.
doi:10.1016/S0012-365X(99)00342-8
- [25] R.S. Manikandan and P. Paulraja, *C_p -decompositions of some regular graphs*, Discrete Math. **306** (2006) 429–451.
doi:10.1016/j.disc.2005.08.006
- [26] R.S. Manikandan and P. Paulraja, *C_5 -decompositions of the tensor product of complete graphs*, Australas. J. Combin. **37** (2007) 285–293.
- [27] R.S. Manikandan and P. Paulraja, *C_7 -decompositions of the tensor product of complete graphs*, Discuss. Math. Graph Theory **37** (2017) 523–535.
doi:10.7151/dmgt.1936
- [28] R.S. Manikandan and P. Paulraja, *Hamiltonian decompositions of the tensor product of a complete graph and a complete bipartite graphs*, Ars Combin. **80** (2006) 33–44.
- [29] R.S. Manikandan and P. Paulraja, *Hamilton cycle decompositions of the tensor product of complete multipartite graphs*, Discrete Math. **308** (2008) 3586–3606.
doi:10.1016/j.disc.2007.07.020
- [30] R.S. Manikandan and P. Paulraja, *Hamilton cycle decompositions of the tensor products of complete bipartite graphs and complete multipartite graphs*, Discrete Math. **310** (2010) 2776–2789.
doi:10.1016/j.disc.2010.05.034
- [31] R.S. Manikandan, P. Paulraja and S. Sivasankar, *Directed Hamilton cycle decompositions of the tensor product of symmetric digraphs*, Ars Combin. **98** (2011) 379–386.
- [32] A. Muthusamy and A. Shanmuga Vadivu, *Cycle frames of complete multipartite multigraphs-III*, J. Combin. Des. **22** (2014) 473–487.
doi:10.1002/jcd.21373

- [33] P. Paulraja and S. Sampath Kumar, *Resolvable even cycle decompositions of the tensor product of complete graphs*, Discrete Math. **311** (2011) 1841–1850.
doi:10.1016/j.disc.2011.04.028
- [34] P. Paulraja and S. Sampath Kumar, *Closed trail decompositions of some classes of regular graphs*, Discrete Math. **312** (2012) 1353–1366.
doi:10.1016/j.disc.2011.12.015
- [35] P. Paulraja and S. Sivasankar, *Directed Hamilton cycle decompositions of the tensor products of symmetric digraphs*, Graphs Combin. **25** (2009) 571–581.
doi:10.1007/s00373-009-0866-4
- [36] M. Šajna, *Cycle decompositions III: Complete graphs and fixed length cycles*, J. Combin. Des. **10** (2002) 27–78.
doi:10.1002/jcd.1027

Received 3 March 2018
Revised 3 October 2018
Accepted 3 October 2018