

THE HANOI GRAPH H_4^3

ANDREAS M. HINZ

Department of Mathematics
Ludwig-Maximilians-Universität (LMU) München
80333 Munich, Germany

e-mail: hinz@math.lmu.de

AND

NAZANIN MOVARRAEI

International Research Centre (IRC)
Kalasalingam University, Tamil Nadu, India

e-mail: nazanin.movarraei@gmail.com

Abstract

Metric properties of Hanoi graphs H_p^n are not as well understood as those of the closely related, but structurally simpler Sierpiński graphs S_p^n . The most outstanding open problem is to find the domination number of Hanoi graphs. Here we concentrate on the first non-trivial case of H_4^3 , which contains no 1-perfect code. The metric dimension and the dominator chromatic number of H_4^3 will be determined as well. This leads to various conjectures for the general case and will thus provide an orientation for future research.

Keywords: Hanoi graphs, Sierpiński graphs, metric dimension, domination number, dominator chromatic number.

2010 Mathematics Subject Classification: 05C69, 05C12, 05C15.

REFERENCES

- [1] R.M. Gera, *On dominator colorings in graphs*, Graph Theory Notes N.Y. **52** (2007) 25–30.
- [2] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, *Fundamentals of Domination in Graphs* (Marcel Dekker, New York, 1998).
- [3] A.M. Hinz, *Open problems for Hanoi and Sierpiński graphs*, Electron. Notes Discrete Math. **63** (2017) 23–31.
doi:10.1016/j.endm.2017.10.058

- [4] A.M. Hinz and C. Holz auf der Heide, *An efficient algorithm to determine all shortest paths in Sierpiński graphs*, Discrete Appl. Math. **177** (2014) 111–120.
doi:10.1016/j.dam.2014.05.049
- [5] A.M. Hinz, S. Klavžar and C. Petr, *The Tower of Hanoi—Myths and Maths*, Second Edition (Springer/Birkhäuser, Cham, 2018).
- [6] A.M. Hinz, S. Klavžar and S.S. Zemljič, *Sierpiński graphs as spanning subgraphs of Hanoi graphs*, Cent. Eur. J. Math. **11** (2013) 1153–1157.
doi:10.2478/s11533-013-0227-7
- [7] A.M. Hinz, S. Klavžar and S.S. Zemljič, *A survey and classification of Sierpiński-type graphs*, Discrete Appl. Math. **217** (2017) 565–600.
doi:10.1016/j.dam.2016.09.024
- [8] A.M. Hinz, A. Kostov, F. Kneißl, F. Sürer and A. Danek, *A mathematical model and a computer tool for the Tower of Hanoi and Tower of London puzzles*, Inform. Sci. **179** (2009) 2934–2947.
doi:10.1016/j.ins.2009.04.010
- [9] A.M. Hinz and D. Parisse, *On the planarity of Hanoi graphs*, Expo. Math. **20** (2002) 263–268.
doi:10.1016/S0723-0869(02)80023-8
- [10] A.M. Hinz and D. Parisse, *Coloring Hanoi and Sierpiński graphs*, Discrete Math. **312** (2012) 1521–1535.
doi:10.1016/j.disc.2011.08.019
- [11] J.M. Jeyaseeli, N. Movarraei and S. Arumugam, *Dominator coloring of generalized Petersen graphs*, Lecture Notes in Comput. Sci. **10398** (2017) 144–151.
doi:10.1007/978-3-319-64419-6_19
- [12] S. Klavžar and B. Mohar, *Crossing numbers of Sierpiński-like graphs*, J. Graph Theory **50** (2005) 186–198.
doi:10.1002/jgt.20107
- [13] S. Klavžar and S.S. Zemljič, *On distances in Sierpiński graphs: Almost-extreme vertices and metric dimension*, Appl. Anal. Discrete Math. **7** (2013) 72–82.
doi:10.2298/AADM130109001K
- [14] M. Schlosser, *Abstände in Sierpiński- und Hanoi-Graphen und metrische Dimension* (BSc Thesis, Ludwig-Maximilians-Universität, München, 2017).
- [15] S. Varghese, A. Vijayakumar and A.M. Hinz, *Power domination in Knödel graphs and Hanoi graphs*, Discuss. Math. Graph Theory **38** (2018) 63–74.
doi:10.7151/dmgt.1993

Received 9 March 2018
Revised 10 December 2018
Accepted 10 December 2018