

EQUITABLE TOTAL COLORING OF CORONA OF CUBIC GRAPHS

HANNA FURMAŃCZYK

*Institute of Informatics
Faculty of Mathematics, Physics and Informatics
University of Gdańsk, Wita Stwosza 57, 80-308 Gdańsk, Poland
e-mail: hanna.furmanczyk@inf.ug.edu.pl*

AND

RITA ZUAZUA

*Department of Mathematics, Faculty of Sciences
National Autonomous University of Mexico
Ciudad Universitaria, Coyoacan, 04510 Mexico, DF, Mexico
e-mail: ritazuazua@ciencias.unam.mx*

Abstract

The minimum number of total independent partition sets of $V \cup E$ of a graph $G = (V, E)$ is called the *total chromatic number* of G , denoted by $\chi''(G)$. If the difference between cardinalities of any two total independent sets is at most one, then the minimum number of total independent partition sets of $V \cup E$ is called the *equitable total chromatic number*, and is denoted by $\chi''_{\equiv}(G)$.

In this paper we consider equitable total coloring of coronas of cubic graphs, $G \circ H$. It turns out that independently on the values of equitable total chromatic number of factors G and H , equitable total chromatic number of corona $G \circ H$ is equal to $\Delta(G \circ H) + 1$. Thereby, we confirm Total Coloring Conjecture (TCC), posed by Behzad in 1964, and Equitable Total Coloring Conjecture (ETCC), posed by Wang in 2002, for coronas of cubic graphs. As a direct consequence we get that all coronas of cubic graphs are of Type 1.

Keywords: equitable coloring, total coloring, equitable total coloring, cubic graphs.

2010 Mathematics Subject Classification: 05C15, 05C76.

REFERENCES

- [1] M. Behzad, G. Chartrand and J.K. Cooper Jr, *The colour numbers of complete graphs*, J. Lond. Math. Soc. (2) **42** (1967) 226–228.
<https://doi.org/10.1112/jlms/s1-42.1.226>
- [2] B.L. Chen, K.W. Lih and P.L. Wu, *Equitable coloring and the maximum degree*, European J. Combin. **15** (1994) 443–447.
<https://doi.org/10.1006/eujc.1994.1047>
- [3] T. Chunling, L. Xiaohui, Y. Yuansheng and L. Zhihe, *Equitable total coloring of $C_m \square C_n$* , Discrete Appl. Math. **157** (2009) 596–601.
<https://doi.org/10.1016/j.dam.2008.08.030>
- [4] S. Dantas, C.M.H. de Figueiredo, G. Mazzuoccolo, M. Preissmann, V.F. dos Santos and D. Sasaki, *On the equitable total chromatic number of cubic graphs*, Discrete Appl. Math. **209** (2016) 84–91.
<https://doi.org/10.1016/j.dam.2015.10.013>
- [5] R. Frucht and F. Harary, *On the corona of two graphs*, Aequationes Math. **4** (1970) 322–325.
<https://doi.org/10.1007/BF01844162>
- [6] H.L. Fu, *Some results on equalized total coloring*, Congr. Numer. **102** (1994) 111–119.
- [7] H. Furmańczyk, *Equitable coloring of graphs*, in: Graph Colorings, M. Kubale (Ed(s)), (Amer. Math. Soc. **352**, 2004) 35–53.
<https://doi.org/10.1090/conm/352/03>
- [8] H. Furmańczyk, *Equitable coloring of graph products*, Opuscula Math. **26** (2006) 31–44.
- [9] H. Furmańczyk and M. Kubale, *Equitable coloring of corona products of cubic graphs is harder than ordinary coloring*, Ars Math. Contemp. **10** (2016) 333–347.
<https://doi.org/10.26493/1855-3974.687.99b>
- [10] H. Gui, W. Wang, Y. Wang and Z. Zhang, *Equitable total-coloring of subcubic graphs*, Discrete Appl. Math. **184** (2015) 167–170.
<https://doi.org/10.1016/j.dam.2014.11.014>
- [11] P. Hall, *On representatives of subsets*, J. London Math. Soc. (2) **10** (1935) 26–30.
<https://doi.org/10.1112/jlms/s1-10.37.26>
- [12] W. Meyer, *Equitable coloring*, Amer. Math. Monthly **80** (1973) 920–922.
<https://doi.org/10.1080/00029890.1973.11993408>
- [13] A. Sánchez-Arroyo, *Determining the total colouring number is NP-hard*, Discrete Math. **78** (1989) 315–319.
[https://doi.org/10.1016/0012-365X\(89\)90187-8](https://doi.org/10.1016/0012-365X(89)90187-8)
- [14] W.-F. Wang, *Equitable total coloring of graphs with maximum degree 3*, Graphs Combin. **18** (2002) 677–685.
<https://doi.org/10.1007/s003730200051>

- [15] N. Vijayaditya, *On total chromatic number of a graph*, J. London Math. Soc. **2** (1971) 405–408.
<https://doi.org/10.1112/jlms/s2-3.3.405>
- [16] V.G. Vizing, *On an estimate of the chromatic class of a p -graph*, Metody Diskret. Analiz. **3** (1964) 25–30.
- [17] W. Wang and K. Zhang, *Equitable colorings of line graphs and complete r -partite graphs*, Systems Sci. Math. Sci. **13** (2000) 190–194.

Received 8 June 2018

Revised 31 May 2019

Accepted 13 September 2019