

A FEW EXAMPLES AND COUNTEREXAMPLES IN SPECTRAL GRAPH THEORY

DRAGAN STEVANOVIĆ

Mathematical Institute
Serbian Academy of Sciences and Arts, Belgrade, Serbia
e-mail: dragance106@yahoo.com

NIKOLA MILOSAVLJEVIĆ

University of Niš
Faculty of Sciences and Mathematics, Niš, Serbia
e-mail: nikola5000@gmail.com

AND

DAMIR VUKIČEVIĆ

University of Split
Faculty of Sciences and Mathematics, Split, Croatia
e-mail: vukicevi@pmfst.hr

Dedicated to the memory of Professor Slobodan Simić.

Abstract

We present a small collection of examples and counterexamples for selected problems, mostly in spectral graph theory, that have occupied our minds over a number of years without being completely resolved.

Keywords: communicability distance, spectral radius, integral graph, second Zagreb index, Wiener index, estrada index, almost cospectral graphs, NEPS of graphs.

2010 Mathematics Subject Classification: 05C50.

REFERENCES

- [1] R. Askey, *Evaluation of Sylvester type determinants using orthogonal polynomials*, in: Proceedings of the 4th International ISAAC Congress, Toronto, Canada, August 11–16, 2003, Advances in Analysis, H.G.W. Begehr *et al.* (Ed(s)), (World Scientific, 2005) 1–16.
doi:10.1142/9789812701732_0001
- [2] V. Brankov, P. Hansen and D. Stevanović, *Automated conjectures on upper bounds for the largest Laplacian eigenvalue of graphs*, Linear Algebra Appl. **414** (2006) 407–424.
doi:10.1016/j.laa.2005.10.017
- [3] L. Chen and Q. Huang, *The existence of the graphs that have exactly two main eigenvalues* (2016).
arXiv:1609.05347
- [4] S.M. Cioaba and D.A. Gregory, *Principal eigenvectors of irregular graphs*, Electron. J. Linear Algebra **16** (2007) 366–379.
doi:10.13001/1081-3810.1208
- [5] D.M. Cvetković, *The main part of the spectrum, divisors and switching of graphs*, Publ. Inst. Math. (Beograd) (N.S.) **23(37)** (1978) 31–38.
- [6] D. Cvetković, *Discussing graph theory with a computer II. Theorems suggested by the computer*, Publ. Inst. Math. (Beograd) (N.S.) **33(47)** (1983) 29–33.
- [7] D. Cvetković, *On the 2-sum of three graphs. Variations on the graph product disconnectedness theme*, Bull. Cl. Sci. Math. Nat. Sci. Math. **24** (1999) 107–117.
- [8] D. Cvetković, M. Doob and H. Sachs, Spectra of Graphs—Theory and Application (Academic Press, New York, 1980).
- [9] D. Cvetković and R. Lučić, *A new generalization of the concept of the p-sum of graphs*, Univ. Beograd. Publ. Elektrotehn. Fak. Ser. Mat. Fiz. **302–319** (1970) 67–71.
- [10] D. Cvetković, P. Rowlinson and S. Simić, An Introduction to the Theory of Graph Spectra (Cambridge University Press, Cambridge, 2009).
doi:10.1017/CBO9780511801518
- [11] K.Ch. Das and M.J. Nadjafi-Arani, *On maximum Wiener index of trees and graphs with given radius*, J. Comb. Optim. **34** (2017) 574–587.
doi:10.1007/s10878-016-0092-y
- [12] C. Elphick and T. Réti, *On the relations between the Zagreb indices, clique numbers and walks in graphs*, MATCH Commun. Math. Comput. Chem. **74** (2015) 19–34.
- [13] E. Estrada, *The communicability distance in graphs*, Linear Algebra Appl. **436** (2012) 4317–4328.
doi:10.1016/j.laa.2012.01.017
- [14] X. Fan, Y. Luo and X. Gao, *Tricyclic graphs with exactly two main eigenvalues*, Open Math. **11** (2013) 1800–1816.
doi:10.2478/s11533-013-0283-z

- [15] M. Ghebleh, A. Kanso and D. Stevanović, *Graph6Java: a researcher-friendly Java framework for testing conjectures in chemical graph theory*, MATCH Commun. Math. Comput. Chem. **81** (2019) 737–770.
- [16] E.M. Hagos, *Some results on graph spectra*, Linear Algebra Appl. **356** (2002) 103–111.
doi:10.1016/S0024-3795(02)00324-5
- [17] S. Hayat, J.H. Koolen, F. Liu and Z. Qiao, *A note on graphs with exactly two main eigenvalues*, Linear Algebra Appl. **511** (2016) 318–327.
doi:10.1016/j.laa.2016.09.019
- [18] O. Holtz, *Evaluation of Sylvester type determinants using block-triangularization*, in: Proceedings of the 4th international ISAAC congress, Toronto, Canada, August 11–16, 2003, Advances in Analysis, H.G.W. Begehr *et al.* (Ed(s)), (World Scientific, 2005) 395–405.
doi:10.1142/9789812701732_0036
- [19] Y. Hou, Z. Tang and W.C. Shiu, *Some results on graphs with exactly two main eigenvalues*, Appl. Math. Lett. **25** (2012) 1274–1278.
doi:10.1016/j.aml.2011.11.025
- [20] Y. Hou and F. Tian, *Unicyclic graphs with exactly two main eigenvalues*, Appl. Math. Lett. **19** (2006) 1143–1147.
doi:10.1016/j.aml.2005.11.025
- [21] Z. Hu, S. Li and C. Zhu, *Bicyclic graphs with exactly two main eigenvalues*, Linear Algebra Appl. **431** (2009) 1848–1857.
doi:10.1016/j.laa.2009.06.022
- [22] X. Huang, Q. Huang and L. Lu, *Construction of graphs with exactly k main eigenvalues*, Linear Algebra Appl. **486** (2015) 204–218.
doi:10.1016/j.laa.2015.08.013
- [23] T. Muir, The Theory of Determinants in the Historical Order of Development, 2nd Edition (Macmillan and Co., London, 1906).
- [24] S. Mukwembi and T. Vetrík, *Wiener index of trees of given order and diameter at most 6*, Bull. Austral. Math. Soc. **89** (2014) 379–396.
doi:10.1017/S0004972713000816
- [25] V. Nikiforov, *Walks and the spectral radius of graphs*, Linear Algebra Appl. **418** (2006) 257–268.
doi:10.1016/j.laa.2006.02.003
- [26] J. Plesnik, *On the sum of all distances in graph or diagraph*, J. Graph Theory **8** (1984) 1–21.
doi:10.1002/jgt.3190080102
- [27] P. Rowlinson, *The main eigenvalues of a graph: A survey*, Appl. Anal. Discrete Math. **1** (2007) 445–471.
doi:10.2298/AADM0702445R

- [28] S. Simić, I. Gutman and V. Baltić, *Some graphs with extremal Szeged index*, Math. Slovaca **50** (2000) 1–15.
- [29] L. Shi, *On graphs with given main eigenvalues*, Appl. Math. Lett. **22** (2009) 1870–1874.
doi:10.1016/j.aml.2009.06.027
- [30] W. So, *Integral circulant graphs*, Discrete Math. **306** (2006) 153–158.
doi:10.1016/j.disc.2005.11.006
- [31] D. Stevanović, *When can the components of NEPS of connected bipartite graphs be almost cospectral?*, Linear Algebra Appl. **311** (2000) 35–44.
doi:10.1016/S0024-3795(00)00061-6
- [32] D. Stevanović, *On the components of NEPS of connected bipartite graphs*, Linear Algebra Appl. **356** (2002) 67–78.
doi:10.1016/S0024-3795(02)00322-1
- [33] Z. Tang and Y. Hou, *The integral graphs with index 3 and exactly two main eigenvalues*, Linear Algebra Appl. **433** (2010) 984–993.
doi:10.1016/j.laa.2010.04.025
- [34] H. Täubig, Matrix Inequalities for Iterative Systems (CRC Press, Boca Raton, 2017).
doi:10.1201/9781315166131

Received 26 April 2019

Revised 26 August 2019

Accepted 28 August 2019