

MINIMAL GRAPHS WITH DISJOINT DOMINATING AND PAIRED-DOMINATING SETS

MICHAEL A. HENNING

*Department of Pure and Applied Mathematics
University of Johannesburg
Auckland Park 2006, South Africa*

e-mail: mahenning@uj.ac.za

AND

JERZY TOPP

The State University of Applied Sciences in Elbląg, Poland

e-mail: j.topp@inf.ug.edu.pl

Abstract

A subset $D \subseteq V_G$ is a dominating set of G if every vertex in $V_G - D$ has a neighbor in D , while D is a paired-dominating set of G if D is a dominating set and the subgraph induced by D contains a perfect matching. A graph G is a *DPDP*-graph if it has a pair (D, P) of disjoint sets of vertices of G such that D is a dominating set and P is a paired-dominating set of G . The study of the *DPDP*-graphs was initiated by Southey and Henning [Cent. Eur. J. Math. 8 (2010) 459–467; J. Comb. Optim. 22 (2011) 217–234]. In this paper, we provide conditions which ensure that a graph is a *DPDP*-graph. In particular, we characterize the minimal *DPDP*-graphs.

Keywords: domination, paired-domination.

2010 Mathematics Subject Classification: 05C69, 05C85.

REFERENCES

- [1] V. Anusuya and R. Kala, *A note on disjoint dominating sets in graphs*, Int. J. Contemp. Math. Sci. **7** (2012) 2099–2110.
- [2] I. Broere, M. Dorfling, W. Goddard, J.H. Hattingh, M.A. Henning and E. Ungerer, *Augmenting trees to have two disjoint total dominating sets*, Bull. Inst. Combin. Appl. **42** (2004) 12–18.

- [3] G. Chartrand, L. Lesniak and P. Zhang, *Graphs and Digraphs* (CRC Press, Boca Raton, 2016)
- [4] P. Delgado, W.J. Desormeaux and T.W. Haynes, *Partitioning the vertices of a graph into two total dominating sets*, Quaest. Math. **39** (2016) 863–873.
doi:10.2989/16073606.2016.1188862
- [5] W.J. Desormeaux, T.W. Haynes and M.A. Henning, *Partitioning the vertices of a cubic graph into two total dominating sets*, Discrete Appl. Math. **223** (2017) 52–63.
doi:10.1016/j.dam.2017.01.032
- [6] M. Dorfling, W. Goddard, J.H. Hattingh and M.A. Henning, *Augmenting a graph of minimum degree 2 to have two disjoint total dominating sets*, Discrete Math. **300** (2005) 82–90.
doi:10.1016/j.disc.2005.06.020
- [7] T.W. Haynes and M.A. Henning, *Trees with two disjoint minimum independent dominating sets*, Discrete Math. **304** (2005) 69–78.
doi:10.1016/j.disc.2005.09.012
- [8] S.M. Hedetniemi, S.T. Hedetniemi, R.C. Laskar, L. Markus and P.J. Slater, *Disjoint dominating sets in graphs*, in: Proc. ICDM 2006, Ramanujan Math. Soc. Lect. Notes Ser. **7** (2008) 87–100.
- [9] P. Heggernes and J.A. Telle, *Partitioning graphs into generalized dominating sets*, Nordic J. Comput. **5** (1988) 128–142.
- [10] M.A. Henning, C. Löwenstein and D. Rautenbach, *Remarks about disjoint dominating sets*, Discrete Math. **309** (2009) 6451–6458.
doi:10.1016/j.disc.2009.06.017
- [11] M.A. Henning, C. Löwenstein and D. Rautenbach, *Partitioning a graph into a dominating set, a total dominating set, and something else*, Discuss. Math. Graph Theory **30** (2010) 563–574.
doi:10.7151/dmgt.1514
- [12] M.A. Henning, C. Löwenstein and D. Rautenbach, *An independent dominating set in the complement of a minimum dominating set of a tree*, Appl. Math. Lett. **23** (2010) 79–81.
doi:10.1016/j.aml.2009.08.008
- [13] M.A. Henning, C. Löwenstein, D. Rautenbach and J. Southey, *Disjoint dominating and total dominating sets in graphs*, Discrete Appl. Math. **158** (2010) 1615–1623.
doi:10.1016/j.dam.2010.06.004
- [14] M.A. Henning and A.J. Marcon, *Semitotal domination in graphs: Partition and algorithmic results*, Util. Math. **106** (2018) 165–184.
- [15] M.A. Henning and D.F. Rall, *On graphs with disjoint dominating and 2-dominating sets*, Discuss. Math. Graph Theory **33** (2013) 139–146.
doi:10.7151/dmgt.1652

- [16] M.A. Henning and J. Southey, *A note on graphs with disjoint dominating and total dominating sets*, Ars Combin. **89** (2008) 159–162.
- [17] M.A. Henning and J. Southey, *A characterization of graphs with disjoint dominating and total dominating sets*, Quaest. Math. **32** (2009) 119–129.
doi:10.2989/QM.2009.32.1.10.712
- [18] M.A. Henning and A. Yeo, *Total Domination in Graphs* (Springer Monographs in Mathematics, Springer, 2013).
doi:10.1007/978-1-4614-6525-6
- [19] E.M. Kiunisala and F.P. Jamil, *On pairs of disjoint dominating sets in a graph*, Int. J. Math. Anal. **10** (2016) 623–637.
doi:10.12988/ijma.2016.6343
- [20] V.R. Kulli and S.C. Sigarkanti, *Inverse domination in graphs*, Nat. Acad. Sci. Lett. **14** (1991) 473–475.
- [21] C. Löwenstein and D. Rautenbach, *Pairs of disjoint dominating sets and the minimum degree of graphs*, Graphs Combin. **26** (2010) 407–424.
doi:10.1007/s00373-010-0918-9
- [22] M. Miotk, J. Topp and P. Żyliński, *Disjoint dominating and 2-dominating sets in graphs*, Discrete Optim. **35** (2020) 100553.
doi:10.1016/j.disopt.2019.100553
- [23] O. Ore, *Theory of Graphs* (Providence, RI, 1962).
- [24] J. Southey and M.A. Henning, *Graphs with disjoint dominating and paired-dominating sets*, Cent. Eur. J. Math. **8** (2010) 459–467.
doi:10.2478/s11533-010-0033-4
- [25] J. Southey and M.A. Henning, *Dominating and total dominating partitions in cubic graphs*, Cent. Eur. J. Math. **9** (2011) 699–708.
doi:10.2478/s11533-011-0014-2
- [26] J. Southey and M.A. Henning, *A characterization of graphs with disjoint dominating and paired-dominating sets*, J. Comb. Optim. **22** (2011) 217–234.
doi:10.1007/s10878-009-9274-1

Received 20 November 2019

Revised 27 April 2020

Accepted 27 April 2020