

ON SOME CHARACTERIZATIONS OF ANTIPODAL PARTIAL CUBES

NORBERT POLAT

I.A.E., Université Jean Moulin (Lyon 3)
6 cours Albert Thomas
69355 Lyon Cedex 08, France

e-mail: norbert.polat@univ-lyon3.fr

Abstract

We prove that any harmonic partial cube is antipodal, which was conjectured by Fukuda and K. Handa, *Antipodal graphs and oriented matroids*, *Discrete Math.* 111 (1993) 245–256. Then we prove that a partial cube G is antipodal if and only if the subgraphs induced by W_{ab} and W_{ba} are isomorphic for every edge ab of G . This gives a positive answer to a question of Klavžar and Kovše, *On even and harmonic-even partial cubes*, *Ars Combin.* 93 (2009) 77–86. Finally we prove that the distance-balanced partial cube that are antipodal are those whose pre-hull number is at most 1.

Keywords: diametrical graph, harmonic graph, antipodal graph, distance-balanced graph, partial cube, pre-hull number.

2010 Mathematics Subject Classification: 05C12, 05C75.

REFERENCES

- [1] H.-J. Bandelt and A.W.M. Dress, *A canonical decomposition theory for metrics on a finite set*, *Adv. Math.* **92** (1992) 47–105.
doi:10.1016/0001-8708(92)90061-O
- [2] V. Chepoi, *Isometric subgraphs of Hamming graphs and d -convexity*, *Cybernetics* **24** (1988) 6–11.
doi:10.1007/BF01069520
- [3] V. Chepoi, K. Knauer and T. Marc, *Partial cubes without Q_3^- minors*, *CoRR* abs/1606.02154 (2016) (submitted).
- [4] J. Desharnais, *Maille et Plongements de Graphes Antipodaux*, *Mémoire de Maitrise* (Université de Montréal, 1993).

- [5] D. Djoković, *Distance preserving subgraphs of hypercubes*, J. Combin. Theory Ser. B **14** (1973) 263–267.
doi:10.1016/0095-8956(73)90010-5
- [6] D. Eppstein, *The lattice dimension of a graph*, European J. Combin. **26** (2005) 585–592.
doi:10.1016/j.ejc.2004.05.001
- [7] M. Faghani, E. Pourhadi and H. Kharazi, *On the new extension of distance-balanced graphs*, Trans. Comb. **5** (2016) 23–34.
- [8] V.V. Firsov, *Isometric embedding of a graph into a Boolean cube*, Cybernetics **1** (1965) 112–113.
doi:10.1007/BF01074705
- [9] K. Fukuda and K. Handa, *Antipodal graphs and oriented matroids*, Discrete Math. **111** (1993) 245–256.
doi:10.1016/0012-365X(93)90159-Q
- [10] F. Glivjak, A. Kotzig and J. Plesník, *Remarks on the graphs with a central symmetry*, Monatsh. Math. **74** (1970) 302–307.
doi:10.1007/BF01302697
- [11] F. Göbel and H.J. Veldman, *Even graphs*, J. Graph Theory **10** (1986) 225–239.
doi:10.1002/jgt.3190100212
- [12] R. Hammack, W. Imrich and S. Klavžar, *Handbook of Product Graphs*, Second Edition (CRC Press, 2011).
- [13] K. Handa, *Bipartite graphs with balanced (a, b) -partitions*, Ars Combin. **51** (1999) 113–119.
- [14] A. Ilić, S. Klavžar and M. Milanović, *On distance-balanced graphs*, European J. Combin. **31** (2010) 732–737.
doi:10.1016/j.ejc.2009.10.006
- [15] J. Jerebic, S. Klavžar and D.F. Rall, *Distance-balanced graphs*, Ann. Comb. **12** (2008) 71–79.
doi:10.1007/s00026-008-0337-2
- [16] S. Klavžar and M. Kovše, *On even and harmonic-even partial cubes*, Ars Combin. **93** (2009) 77–86.
- [17] S. Klavžar and H.M. Mulder, *Partial cubes and crossing graphs*, SIAM J. Discrete Math. **15** (2002) 235–251.
doi:10.1137/S0895480101383202
- [18] A. Kotzig, *Centrally symmetric graphs*, Czechoslovak Math. J. **93** (1968) 605–615.
- [19] A. Kotzig and P. Laufer, *Generalized S -Graphs*, preprint CRM-779, Centre de recherches mathématiques (Université de Montréal, 1978).
- [20] T. Marc, *There are no finite partial cubes of girth more than 6 and minimum degree at least 3*, European J. Combin. **55** (2016) 62–72.
doi:10.1016/j.ejc.2016.01.005

- [21] H.M. Mulder, *The structure of median graphs*, Discrete Math. **24** (1978) 197–204.
doi:10.1016/0012-365X(78)90199-1
- [22] H.M. Mulder, *n-cubes and median graphs*, J. Graph Theory **4** (1980) 107–110.
doi:10.1002/jgt.3190040112
- [23] S. Ovchinnikov, *Partial cubes: structures, characterizations, and constructions*, Discrete Math. **308** (2008) 5597–5621.
doi:10.1016/j.disc.2007.10.025
- [24] K.R. Parthasarathy and R. Nandakumar, *Unique eccentric point graphs*, Discrete Math. **46** (1983) 69–74.
doi:10.1016/0012-365X(83)90271-6
- [25] N. Polat, *Netlike partial cubes I. General properties*, Discrete Math. **307** (2007) 2704–2722.
doi:10.1016/j.disc.2007.01.018
- [26] N. Polat and G. Sabidussi, *On the geodesic pre-hull number of a graph*, European J. Combin. **30** (2009) 1205–1220.
doi:10.1016/j.ejc.2008.09.022
- [27] G. Sabidussi, *Graphs without dead ends*, European J. Combin. **17** (1996) 69–87.
doi:10.1006/eujc.1996.0006
- [28] P. Winkler, *Isometric embeddings in products of complete graphs*, Discrete Appl. Math. **7** (1984) 221–225.
doi:10.1016/0166-218X(84)90069-6

Received 28 April 2017
Revised 13 September 2017
Accepted 13 September 2017