

RAINBOW TETRAHEDRA IN CAYLEY GRAPHS

ITALO J. DEJTER

University of Puerto Rico
Rio Piedras, PR 00936-8377

e-mail: italo.dejter@gmail.com

Abstract

Let Γ_n be the complete undirected Cayley graph of the odd cyclic group \mathbf{Z}_n . Connected graphs whose vertices are rainbow tetrahedra in Γ_n are studied, with any two such vertices adjacent if and only if they share (as tetrahedra) precisely two distinct triangles. This yields graphs G of largest degree 6, asymptotic diameter $|V(G)|^{1/3}$ and almost all vertices with degree: (a) 6 in G ; (b) 4 in exactly six connected subgraphs of the $(3, 6, 3, 6)$ -semi-regular tessellation; and (c) 3 in exactly four connected subgraphs of the $\{6, 3\}$ -regular hexagonal tessellation. These vertices have as closed neighborhoods the union (in a fixed way) of closed neighborhoods in the ten respective resulting tessellations.

Keywords: rainbow triangles, rainbow tetrahedra, Cayley graphs.

2010 Mathematics Subject Classification: 05C15, 05C75, 05C62.

REFERENCES

- [1] R. Aharoni and E. Berger, *Rainbow matchings in r -partite r -graphs*, Electron. J. Combin. **16(1)** (2009) # R119.
- [2] N. Alon, T. Jiang, Z. Miller and D. Pritikin, *Properly colored subgraphs and rainbow subgraphs in edge-colorings with local constraints*, J. Random Structures Algorithms **23** (2003) 409–433.
doi:10.1002/rsa.10102
- [3] J. Barát and I.M. Wanless, *Rainbow matchings and transversals*, Australas. J. Combin. **59** (2014) 211–217.
- [4] I.J. Dejter, *TMC tetrahedral types MOD $2k + 1$ and their structure graphs*, Graphs Combin. **12** (1996) 163–178.
doi:10.1007/BF01858451

- [5] I.J. Dejter, H. Hevia and O. Serra, *Hidden Cayley graph structures*, Discrete Math. **182** (1998) 69–83.
doi:10.1016/S0012-365X(97)00134-9
- [6] I.J. Dejter, *Asymptotic diameter of graphs*, preprint,
<http://home.coqui.net/dejterij/appendix.pdf>.
- [7] L. Fejes Toth, *Regular Figures* (Pergamon Press, Oxford, 1964).
- [8] A. Frieze and M. Krivelevich, *On rainbow trees and cycles*, Electron. J. Combin. **15** #R59.
- [9] A. Halperin, C. Magnant and K. Pula, *A decomposition of Gallai multigraphs*, Discuss. Math. Graph Theory **34** (2014) 331–352.
doi:10.7151/dmgt.1740
- [10] S. Janson and N. Wormald, *Rainbow Hamilton cycles in random regular graphs*, Random Structures Algorithms **30** (2007) 35–49.
doi:10.1002/rsa.20146
- [11] A.V. Kelarev, J. Ryan and J. Yearwood, *Cayley graphs as classifiers for data mining: The influence of asymmetries*, Discrete Math. **309** (2009) 5360–5369.
doi:10.1016/j.disc.2008.11.030
- [12] A.V. Kelarev, *Labelled Cayley graphs and minimal automata*, Australas. J. Combin. **30** (2004) 95–101.
- [13] A.V. Kelarev, *Graph Algebras and Automata* (M. Dekker, New York, 2003).
- [14] A.V. Kostochka and M. Yancey, *Large rainbow matchings in edge-colored graphs*, Combin. Probab. Comput. **21** (2012) 255–263.
doi:10.1017/S0963548311000605
- [15] T.D. LeSaulnier, C. Stocker, P.S. Wenger and D.B. West, *Rainbow matching in edge-colored graphs*, Electron. J. Combin. **17** (2010) #N26.
- [16] A. Monti and B. Sinimeri, *Rainbow graph splitting*, Theoret. Comput. Sci. **412** (2011) 5315–5324.
doi:10.1016/j.tcs.2011.06.004
- [17] S. Oh, H. Yoo and T. Yun, *Rainbow graphs and switching classes*, SIAM J. Discrete Math. **27** 1106–1111.
doi:10.1137/110855089
- [18] G. Perarnau and O. Serra, *Rainbow matchings in complete bipartite graphs: existence and counting*, Combin. Probab. Comput. **22** (2013) 783–799.
doi:10.1017/S096354831300028X
- [19] L. Sunil Chandran and D. Rajendraprasad, *Rainbow colouring of split and threshold graphs*, in: Lectures Notes in Comput. Sc. **7434** (2012) 181–192.
doi:10.1007/978-3-642-32241-9_16
- [20] G. Wang, *Rainbow matchings in properly edge-colored graphs*, Electron. J. Combin. **18(1)** (2011) #162.

- [21] A.J. Woldar, *Rainbow graphs*, in: Codes and Designs, K.T. Arasu, A. Seress, Eds., (deGruyter, Berlin, 2002).
doi:10.1515/9783110198119.313

Received 6 November 2014
Revised 27 February 2015
Accepted 27 February 2015