

GRAPHS WITH CLUSTERS PERTURBED BY REGULAR GRAPHS— A_α -SPECTRUM AND APPLICATIONS

DOMINGOS M. CARDOSO

CIDMA – Centro de Investigação e Desenvolvimento em Matemática e Aplicações
Departamento de Matemática, Universidade de Aveiro, Aveiro, Portugal

e-mail: dcardoso@ua.pt

GERMAIN PASTÉN

AND

OSCAR ROJO

Departamento de Matemáticas
Universidad Católica del Norte, Antofagasta, Chile

e-mail: germain.pasten@ucn.cl
orojo@ucn.cl

Abstract

Given a graph G , its adjacency matrix $A(G)$ and its diagonal matrix of vertex degrees $D(G)$, consider the matrix $A_\alpha(G) = \alpha D(G) + (1 - \alpha)A(G)$, where $\alpha \in [0, 1)$. The A_α -spectrum of G is the multiset of eigenvalues of $A_\alpha(G)$ and these eigenvalues are the α -eigenvalues of G . A cluster in G is a pair of vertex subsets (C, S) , where C is a set of cardinality $|C| \geq 2$ of pairwise co-neighbor vertices sharing the same set S of $|S|$ neighbors. Assuming that G is connected and it has a cluster (C, S) , $G(H)$ is obtained from G and an r -regular graph H of order $|C|$ by identifying its vertices with the vertices in C , eigenvalues of $A_\alpha(G)$ and $A_\alpha(G(H))$ are deduced and if $A_\alpha(H)$ is positive semidefinite, then the i -th eigenvalue of $A_\alpha(G(H))$ is greater than or equal to i -th eigenvalue of $A_\alpha(G)$. These results are extended to graphs with several pairwise disjoint clusters $(C_1, S_1), \dots, (C_k, S_k)$. As an application, the effect on the energy, α -Estrada index and α -index of a graph G with clusters when the edges of regular graphs are added to G are analyzed. Finally, the A_α -spectrum of the corona product $G \circ H$ of a connected graph G and a regular graph H is determined.

Keywords: cluster, convex combination of matrices, A_α -spectrum, corona product of graphs.

2010 Mathematics Subject Classification: 05E30, 15A18, 05C50.

REFERENCES

- [1] N.M.M. Abreu, D.M. Cardoso, E.A. Martins, M. Robbiano and B. San Martín, *On the Laplacian and signless Laplacian spectrum of a graph with k pairwise co-neighbor vertices*, Linear Algebra Appl. **437** (2012) 2308–2316.
doi:10.1016/j.laa.2012.05.013
- [2] S. Barik, S. Pati and B.K. Sarma, *The spectrum of the corona of two graphs*, SIAM J. Discrete Math. **21** (2007) 47–56.
doi:10.1137/050624029
- [3] A. Brouwer and W.H. Haemers, *Spectra of Graphs* (Springer, New York, 2012).
doi:10.1007/978-1-4614-1939-6
- [4] D.M. Cardoso, G. Pastén and O. Rojo, *On the multiplicity of α as an eigenvalue of $A_\alpha(G)$ of graphs with pendant vertices*, Linear Algebra Appl. **552** (2018) 52–70.
doi:10.1016/j.laa.2018.04.013
- [5] D.M. Cardoso and O. Rojo, *Edge perturbation on graphs with clusters: Adjacency, Laplacian and signless Laplacian eigenvalues*, Linear Algebra Appl. **512** (2017) 113–128.
doi:10.1016/j.laa.2016.09.031
- [6] D. Cvetković, P. Rowlinson and S.K. Simić, *Signless Laplacian of finite graphs*, Linear Algebra Appl. **423** (2007) 155–171.
doi:10.1016/j.laa.2007.01.009
- [7] M. Fiedler, *Algebraic connectivity of graphs*, Czechoslovak Math. J. **23** (1973) 298–305.
- [8] R. Frucht and F. Harary, *On the corona of two graphs*, Aequationes Math. **4** (1970) 322–325.
doi:10.1007/BF01844162
- [9] J.-M. Guo, *The effect on the Laplacian spectral radius of a graph by adding or grafting edges*, Linear Algebra Appl. **413** (2006) 59–71.
doi:10.1016/j.laa.2005.08.002
- [10] R. Horn and C. Johnson, *Matrix Analysis* (Cambridge University Press, Cambridge, 1985).
doi:10.1017/CBO9780511810817
- [11] R. Merris, *Laplacian matrices of graphs: A survey*, Linear Algebra Appl. **197–198** (1994) 143–176.
doi:10.1016/0024-3795(94)90486-3
- [12] V. Nikiforov, *The energy of graphs and matrices*, J. Math. Anal. Appl. **326** (2007) 1472–1475.
doi:10.1016/j.jmaa.2006.03.072
- [13] V. Nikiforov, *Merging the A - and Q -spectral theories*, Appl. Anal. Discrete Math. **11** (2017) 81–107.
doi:10.2298/AADM1701081N

- [14] V. Nikiforov and O. Rojo, *A note on the positive semidefiniteness of $A_\alpha(G)$* , Linear Algebra Appl. **519** (2017) 156–163.
doi:10.1016/j.laa.2016.12.042
- [15] G. Pastén and O. Rojo, *Laplacian spectrum, Laplacian-energy-like invariant, and Kirchhoff index of graphs constructed by adding edges on pendent vertices*, MATCH Commun. Math. Comput. Chem. **73** (2015) 27–40.
- [16] O. Rojo, *Effects on the energy and estrada indices by adding edges among pendent vertices*, MATCH Commun. Math. Comput. Chem. **74** (2015) 343–358.
- [17] J.Y. Shao, J.M. Guo and H.Y. Shan, *The ordering of trees and connected graphs by algebraic connectivity*, Linear Algebra Appl. **428** (2008) 1421–1438.
doi:10.1016/j.laa.2007.08.031
- [18] W. So, *Commutativity and spectra of Hermitian matrices*, Linear Algebra Appl. **212–213** (1994) 121–129.
doi:10.1016/0024-3795(94)90399-9

Received 30 March 2019
Revised 25 October 2019
Accepted 12 November 2019